



CATALOG D



Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

REPUBLIC BRASS GOODS



Recognized Emblem of Quality

THE REPUBLIC BRASS CO.
CLEVELAND, OHIO

Copyright, 1929
The Republic Brass Company
Cleveland, Ohio



A Distributing Organization That Covers a Nation

*W*HEREVER your business may be located, a distributing organization of jobbers, handling Republic Brass goods, so thoroughly covers every nook and corner of the United States that one or more of these jobbers are in a position to serve you with dispatch.

Republic Brass goods jobbers are financially responsible; they maintain ample stocks of Brass Goods in their warehouses to insure the immediate filling of your daily needs.

Republic Brass goods jobbers reflect a spirit of whole-hearted co-operation which vindicates our regard for them as a vital part of our organization.



Foreword

THE building of Showers and Bath Fixtures for permanent installation requires a thorough knowledge of the general building construction and universal installation of sanitary fixtures.

We are building the fixtures illustrated in this book so that the installation will be permanent. The simplicity of construction will make it possible to install them efficiently and economically. We use only the best material in the manufacture of our products, and our efforts are directed to the building of quality fixtures.

A rigid system of inspection is maintained—every part being subjected to a thorough test before assembly of the complete unit. The complete assembled fixtures are thoroughly inspected for proper alignment of all parts before being packed for shipment.

The established reputation of our products in the past should serve as your guarantee of the quality of our new added lines.

We appreciate the popularity of the lines we have been manufacturing and we trust we may be able to merit the continuance of your patronage on our new and added lines.

The Republic Brass Co.
Cleveland, Ohio



SYMBOLS USED IN "D" CATALOG

A	3/4" Size	L	Permo Lever Handle
B	Black Decorated China	M	Metal Trimmings
C	China Trimmings	O	Oval Curtain Ring
F	Supplies to Floor	R	Rectangular Curtain Ring
I	With Integral Stop Valves	V	For Vitreous China Lavatory
K	Supplies to Ceiling	X	Long Spout

C-I China Spout and Integral Stop Valves

M-I Metal Trimmings and Integral Stop Valves

X-M Long Spout and Metal Trimmings

Change in figure numbers as shown in Catalog "C"

"C" Catalog	"D" Catalog	"C" Catalog	"D" Catalog	"C" Catalog	"D" Catalog	"C" Catalog	"D" Catalog
902	D- 901	1166	D-1162	1285	D-1334	1334	D-1407
903	D- 902	1168	D-1164	1286	D-1336	1390A	D-1410
904	D- 903	1168 1/2	D-1165	1288	D-1341	1390B	D-1412
904 1/2	D- 904	1169	D-1166	1289	D-1337	1390C	D-1414
905S	D- 907	1169 1/2	D-1167	1290	D-1338	1390D	D-1416
910 1/2	D- 910X	1171A	D-1171O	1292	D-1339	1390E	D-1418
910 1/2 B	D- 910XB	1174A	D-1174O	1294	D-1340	1390F	D-1420
910 1/2 L	D- 910XL	1175P	D-1175	1296	D-1343	1390G	D-1422
910P	D- 910M	1195B	D-1195I	1297	D-1342	1391A	D-1424
910 1/2 P	D- 910XM	1196B	D-1196I	1300	D-1360	1391B	D-1426
911 1/2	D- 911X	1219	D-1218	1301	D-1361	1391C	D-1428
912 1/2	D- 912X	1219A	D-1219	1302	D-1362	1392A	D-1430
913 1/2	D- 913X	1221P	D-1221	1305	D-1363	1392B	D-1432
916	discontinued	1222P	D-1222	1306	D-1364	1392C	D-1434
918A	D- 918	1223P	D-1223	1307	D-1365	1590A	D-1450
920 1/2	D- 920X	1226A	D-1227	1308	D-1366	1590B	D-1452
935P	D- 935	1227	D-1228	1309	D-1367	1590C	D-1454
936P	D- 936	1227C	D-1228C	1310	D-1368	1590D	D-1456
939	D- 940	1228	D-1229	1311	D-1369	1590E	D-1458
1102	D-1107	1228C	D-1229C	1311B	D-1370	1590F	D-1460
1102A	D-1107A	1235P	D-1235	1312	D-1371	1590G	D-1462
1104 1/2	D-1108	1236P	D-1236	1313	D-1373	1591A	D-1465
1118A	D-1119	1250	D-1250C	1314	D-1374	1591B	D-1467
1121A	D-1121F	1265	D-1300	1315	D-1380	1591C	D-1469
1122A	D-1122F	1266	D-1301	1316	D-1381	1395	D-1480
1123A	D-1123F	1266A	D-1302	1317	D-1376	1395A	D-1481
1124A	D-1124F	1270	D-1305	1318	D-1377	1396	D-1482
1126A	D-1126O	1275	D-1306	1319	D-1378	1396A	D-1483
1126B	D-1126R	1275C	D-1307	1320	D-1385	1397	D-1484
1143A	D-1143F	1277	D-1308	1321	D-1386	1397A	D-1485
1144A	D-1144F	1277C	D-1309	1325	D-1387		Handle
1149 1/2	D-1149F	1276	D-1311	1325A	D-1388	No. 3	No. 7
1150A	D-1151	1278	D-1316	1326	D-1389	No. 5	No. 3
1151	D-1150F	1278C	D-1317	1326A	D-1390	No. 7	No. 1
1151A	D-1151F	1283	D-1318	1327	D-1391	No. 18A	No. 16
1153	D-1152F	1281	D-1330	1327A	D-1392	No. 19	No. 14
1152A	D-1153	1281A	D-1331	1328	D-1393	No. 19A	No. 12
1153A	D-1153F	1281B	D-1332	1328A	D-1394	No. 1402	No. 43
1152B	D-1154	1332	D-1405	1330	D-1401	No. 1404	No. 44
1153B	D-1154F	1282	D-1333	1332	D-1405	No. 1406	No. 46
1165	D-1163	1284	D-1335				



INDEX


	Page
"Ambassador" Bath Fixtures.....	23-24
"Ambassador" Lavatory Fixtures.....	16 to 21
"Ambassador" Shampoo Fixtures.....	21
"Ambassador" Showers.....	22
"Ambassador" Fixture Trimmings.....	25
Association Shower Head.....	144
Ball Joint.....	147
Ball Joint Shower Heads.....	144-146
Bar, Curtain.....	149-150-151
Bath Faucets.....	102
Bath Fixtures and Needle Showers.....	121-122
Bath Fixtures Built-in.....	96 to 131
Bath Fixtures Exposed.....	132-133
Bath Fixture and Shower.....	98 to 100, 105 to 107, 114 to 125-131
Bath Drain Standing.....	134-135
Built-in Bath Fixtures.....	96 to 131
Built-in Fixture and Shower.....	98 to 100, 105 to 107, 114 to 125-131
Built-in Shampoo Fixtures.....	67-68-91
Built-in Showers.....	65 to 70, 85 to 90
China Hose Holder.....	139
China Bell.....	140
China Escutcheons for Bath, Lavatory and Shower.....	155-156-157
China Nozzle.....	141-143
China Overflow Strainer for Connected Drain and Overflow.....	156
China Shower Head.....	146
China Spout.....	141-143
China Strainers for Connected Drain and Overflow.....	156
Club Shower.....	77
Concealed Bath Fixtures.....	96 to 131
Concealed Showers.....	65 to 70, 85 to 90
Color Chart for China Trimmings.....	154
Connected Drain and Overflow.....	136-137-138
Curtain—Duck.....	148
Curtain Rods.....	149-150-151
Curtain Rings.....	148
Curtain Snaps.....	148
Double Valve Shower.....	83-84
Drain, Lavatory Pop-up.....	26-28
Drain, Bath Connected Drain and Overflow.....	136-137-138
Drain, Bath for Double Shell or Legless Tub.....	134-136-138
Drain, Bath Standing—Roll-Rim Tub on Legs..	134
Drain Elbow.....	138
Drain Tee.....	110
Elbow Acting Handle.....	153
Escutcheons Bath and Lavatory.....	155-157
Escutcheons "Ambassador".....	25
Escutcheons "Truart".....	25
Exposed Showers.....	61 to 64, 71 to 80
Exposed Showers and Shampoo.....	64-68-80-89
Factory Showers.....	71-73-74-75
Faucets, Ice Water.....	57-58
Four Valve Supply Unit.....	81-82
Gold and Silver Plated Finishes.....	14
Handles for Bath, Lavatory and Showers.....	25-152-153
Handles for "Ambassador" Fixtures.....	25
Hold Back Hook and Chain.....	148
Hose Nozzles.....	143
Hospital Shower Head.....	144
Ice Water Faucets.....	57-58
Ice Water Fixtures.....	20-42-50
Industrial Showers.....	71 to 75

	Page
Lavatory Drain Escutcheons.....	27
Lavatory Drain Pop-up.....	26-28
Lavatory Fixtures.....	6-7-8, 16 to 21, 30 to 50
Lavatory Fixtures "Ambassador".....	16 to 21
Lavatory Fixtures "Nubian".....	46-47-48
Lavatory Fixtures "Truart".....	6-7-8
Mixing Valve Showers.....	8-60 to 70
Mixing Valve Showers "Truart".....	9
Needle Showers.....	69-70
Nozzle for Top Supply Bath Fixtures.....	140-141
Nozzles, Hose.....	143
"Nubian" Bath Fixtures.....	108-123
"Nubian" Bath and Shower Fixtures.....	123
"Nubian" Lavatory Fixtures.....	46-47-48
"Nubian" Shower.....	90
Over-the-Rim Supply Bath Fixtures, 103-104-108-112-113	
Over-the-Rim Supply Bath Fixture and Shower.....	105 to 107, 114 to 117, 119 to 125
Over-the-Rim Supply Spouts.....	139-140-142-143
Parts and Part Nos.....	176 to 179
Plates, Dial.....	155-156
Pop-up Drain.....	26-28
Portable Showers.....	72
Rose Sprays.....	145
Roughing-in Measurements.....	158 to 175
Shampoo and Shower.....	64-68-80-89
Shampoo Fixture.....	21-44-45-46-67-91
Shower Arms.....	147
Shower and Bath Fixtures, 98 to 100, 105-6-7, 114 to 125-131	
Shower and Shampoo.....	64-68-80-89
Showers, Built-in.....	65 to 70, 85 to 90
Showers, "Ambassador".....	22
Showers "Truart".....	9-10
Shower, Double-Valve.....	83-84
Showers, Exposed.....	61 to 64, 71 to 80
Shower Heads.....	144-145-146
Shower Rings.....	144-151
Showers, Portable.....	72
Slip-Screw Drain Tee.....	110
Slop Sink Fixtures.....	92 to 95
Soap Dish Nozzle for Top Supply Bath Fixtures ..	141
Soap Dish Over-the-Rim Supply Spout.....	142-143
Spray Spout.....	139
Stall Showers.....	69-70
Standing Drain, Bath.....	134
Supply and Drain Fixture, Bath.....	96 to 133
Supply and Drain Fixture, Lavatory.....	29 to 48
Trip-Lever Bath Fixture.....	12-13-23-24, 110 to 131
"Truart" Bath Fixture.....	11-12
"Truart" Bath and Shower Fixture.....	13
"Truart" Lavatory Fixture.....	6-7-8
"Truart" Lavatory Supplies.....	25
"Truart" Mixing Valve Shower.....	9
"Truart" Showers.....	9-10
"Truart" Fixture Trimmings.....	25
Tub-Fillers.....	11-103
Turn Drain.....	136
V. C. Valve Controls for Shower and Bath Fixtures ..	59
Valves, Built-in By-Pass.....	52 to 56
Valves, Built-in Corner.....	52 to 56
Valves, Built-in Corner with Integral Stop.....	56
Valves, Built-in Double Shower.....	83-84
Valves, Built-in Globe Pattern.....	52 to 55
Valves, Built-in Screw Driver Slot Stem.....	55
Valves, Four Valve Supply Unit.....	81-82
Volume Control for Shower Heads.....	147
Wall Hook for Shampoo Spray.....	148
Wall Flanges for Shower Arms.....	156



“REPUBLIC” *TRUART* LAVATORY FIXTURE

Chromium Plated



No. D-1610


No. D-1610 “Truart” Combination Lavatory Fixture with pop-up drain.



“REPUBLIC” *TRUART* LAVATORY FIXTURE

Concealed Spout

Chromium Plated




No. D-1617

No. D-1617 “Truart” Concealed Spout Lavatory Fixture with pop-up drain.



“REPUBLIC” *TRUART* DOUBLE LAVATORY FAUCET

Chromium Plated



No. D-1633

No. D-1633 “Truart” Double Lavatory Faucet with pop-up drain.



“REPUBLIC” *TRUART* SHOWER

Patent No. 1,210,105

Chromium Plated



No. D-1825


No. D-1825 $\frac{1}{2}$ " Built-in Mixing Valve Shower.

For roughing-in measurements see page 159.



"REPUBLIC" TRUART SHOWER

Chromium Plated



No. D-1870

No. D-1870 $\frac{1}{2}$ " Built-in Shower. Body with union couplings, 6" centers.


No. D-1870-I Same as D-1870 but with Integral Stop Valves.

For roughing-in measurements see page 162.



“REPUBLIC” TRUART BATH FIXTURE

Chromium Plated



No. D-1915

No. D-1915 “Truart” Over-the-Rim Bath Fixture less drain, $\frac{1}{2}$ ” by-pass valves, 8” center to center of valves.

No. D-1916 Same as No. D-1915 but with $1\frac{1}{2}$ ” drain.

No. D-1915-I Same as No. D-1915 but with Integral Stop Valves.

No. D-1916-I Same as No. D-1916 but with Integral Stop Valves.

For roughing-in measurements see page 167



"REPUBLIC" TRUART TRIP LEVER BATH FIXTURE

Patent No. 1,332,793

Chromium Plated



No. D-1924

No. D-1924 "Truart" Trip-lever Bath Fixture, $\frac{1}{2}$ " by-pass valves, $1\frac{1}{2}$ " drain, 8" center to center of valves, 11" centers furnished on specification.

No. D-1925 Same as No. D-1924 but with $\frac{3}{4}$ " valves, 2" drain and 2" tail. 2" drain tee screw connection.

No. D-1924-I Same as No. D-1924 but with Integral Stop Valves.

No. D-1925-I Same as No. D-1925 but with Integral Stop Valves.


For roughing-in measurements see page 170.



“REPUBLIC” TRUART TWO-WAY SERVICE CONTROL BATH AND SHOWER FIXTURE

Chromium Plated

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793



No. D-1930

No. D-1930 “Truart” Two-way Service Control Bath and Shower Fixture, $\frac{1}{2}$ ” valves with union couplings, $1\frac{1}{2}$ ” trip lever drain, 11” center to center of valves.

No. D-1931 Same as No. D-1930 but with $\frac{3}{4}$ ” valves and 2” trip lever drain, 2” drain tee screw connection.

No. D-1930-I Same as No. D-1930 but with Integral Stop Valves.

No. D-1931-I Same as No. D-1931 but with Integral Stop Valves.

Curtain Bars can be furnished with “Truart” wall flanges when so specified.

For roughing-in measurements see page 172.





"REPUBLIC" GOLD AND SILVER PLATED FINISHES



Polished Silver



Satin Finish Silver



Bright Gold



Roman Gold



When ordering Gold or Silver plated fixtures specify finishes desired.



"REPUBLIC" AMBASSADOR BATH, SHOWER AND LAVATORY FIXTURES

Patent Nos. 1,187,477—1,647,984—1,579,503—1,556,406—17,034—1,332,793



CHARACTER and dignity distinguish this new Republic Bath and Shower Fixture. These qualities are derived from the simplicity of its design combined with the commanding beauty of its lustrous finish.

The Republic "Ambassador" Bath, Shower and Lavatory Fixtures illustrated are chromium plated with a rich platinum-like sheen that catches and reflects every play of light and shade. The band of color on the wall plate of the lavatory fixture and the wall plate, shower head and spout of the bath and shower fixture serves to enhance the beauty of these fixtures.


The home builder of today appreciates the possibility of making the bathrooms beautiful. Decorative effects in tile and architectural design embodying pleasing color schemes are now being carried out in the better homes.

To assist in the arrangement of color in the modern bathroom, we have designed the "Ambassador" line of fixtures which can be furnished in various colors to harmonize with any color scheme.

These "Ambassador" Fixtures are available with bands of color in the wall plates which enhance the platinum-like beauty of the chromium plated finish, and enable the architect or builder to achieve perfect color harmony with any scheme of bathroom treatment.

The band of color on the wall plate serves by contrast to heighten the beauty of the "Ambassador" Fixture. These fixtures can be furnished with color bands of six different shades and black: Crimson, Black, Dark Blue, Vermilion, Light Blue, Green and Orange.


AMBASSADOR COLOR CHART





“REPUBLIC” AMBASSADOR LAVATORY FIXTURE

Patent Nos. 1,556,406—1,647,984



No. D-937

No. D-937 “Ambassador” Lavatory Fixture, concealed spout, pop-up drain, $\frac{1}{2}$ ” Integral Stop Valves, Chromium plated exposed metal parts. Colors furnished as specified on “Ambassador” Color Chart.



“REPUBLIC” AMBASSADOR LAVATORY FIXTURE

Patent Nos. 1,556,406—1,647,984



No. D-938

No. D-938 “Ambassador” Lavatory Fixture, exposed spout, pop-up drain, $\frac{1}{2}$ ” Integral Stop Valves, Chromium plated exposed metal parts. Colors furnished as specified on “Ambassador” Color Chart.



"REPUBLIC" AMBASSADOR LAVATORY FIXTURE

Patent Nos. 1,556,406—1,647,984



No. D-939

No. D-939 "Ambassador" Lavatory Fixture, for Integral spout lavatories. Pop-up drain. $\frac{1}{2}$ " Integral Stop Valves, Chromium plated exposed metal parts. Colors furnished as specified on "Ambassador" Color Chart.



“REPUBLIC” AMBASSADOR LAVATORY FIXTURE



No. D-940


No. D-940 “Ambassador” Lavatory Fixture, pop-up drain, Chromium plated exposed metal parts.



“REPUBLIC” AMBASSADOR LAVATORY FIXTURE

With Ice Water Control

Patent Nos. 1,556,406—1,647,984




No. D-942

No. D-942 “Ambassador” Lavatory Fixture with Ice Water Control, exposed spout, pop-up drain, $\frac{1}{2}$ ” Integral Stop Valves, Chromium plated exposed metal parts. Colors furnished as specified on “Ambassador” Color Chart.



“REPUBLIC” AMBASSADOR TWO-WAY SERVICE CONTROL LAVATORY AND SHAMPOO FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,556,406—1,647,984



No. D-944

No. D-944 “Ambassador” Lavatory and Shampoo Fixture with two-way valve for diverting tempered water to the Shampoo or Lavatory.

$\frac{1}{2}$ " Integral Stop Valves concealed under the Chromium plate, pop-up drain, all metal parts Chromium plated. Colors furnished as specified on “Ambassador” Color Chart.



"REPUBLIC" AMBASSADOR SHOWER

Patent Nos. 1,556,406—1,647,984




No. D-1176

No. D-1176 "Ambassador" Shower, $\frac{1}{2}$ " Integral Stop Valves, Chromium plated exposed metal parts. Colors furnished as specified on "Ambassador" Color Chart.



“REPUBLIC” AMBASSADOR BATH FIXTURE

Patent Nos. 1,332,793—1,556,406—1,647,984



No. D-1223

No. D-1223 “Ambassador” Bath Fixture, $\frac{1}{2}$ ” Integral stop valves, $1\frac{1}{2}$ ” trip lever drain, Chromium plated exposed metal parts. Colors furnished as specified on “Ambassador” Color Chart.

No. D-1223-A Same as No. D-1223, but with $\frac{3}{4}$ ” Integral Stop Valves, and 2” trip lever drain.



"REPUBLIC" AMBASSADOR BATH AND SHOWER FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,556,406—1,647,984



No. D-1242

No. D-1242 "Ambassador" Bath and Shower Fixture, $\frac{1}{2}$ " Integral Stop Valves, $1\frac{1}{2}$ " trip lever drain, Chromium plated exposed metal parts. Colors furnished as specified on "Ambassador" Color Chart.

No. D-1243 Same as No. D-1242 but with $\frac{3}{4}$ " Integral Stop Valves and 2" trip lever drain. Curtain bars can be furnished with "Ambassador" or "Truart" wall flanges when so specified.




TRUART TRIMMINGS FOR LAVATORY, BATH AND SHOWER FIXTURES

Chromium Plated




"Truart" Handle

- No. 70 For Lavatory Fixtures
No. 71 For Bath and Shower Fixtures




"Truart" Escutcheon

- No. 72 For Lavatory Fixtures
No. 73 For Bath and Shower Fixtures



"Truart" Lavatory Supplies

- No. 77 With "Truart" handle, angle stops and "Truart" wall flanges. $\frac{3}{8}$ " I. P. size supplies.




No. 74 "Truart" Wall Flange for Trap



No. 75 "Truart" Wall Flange for Shower Arm

AMBASSADOR TRIMMINGS FOR LAVATORY, BATH AND SHOWER FIXTURES

Chromium Plated



"Ambassador" Escutcheon

- No. 80 For Lavatory Fixtures.
No. 81 For Bath and Shower Fixtures.



"Ambassador" Handle

- No. 85 For Lavatory Fixtures.
No. 86 For Bath and Shower Fixtures.



"REPUBLIC" POP-UP LAVATORY DRAIN



C272.
S 4.08
12
44.25

No. D-905

- No. D-901 Pop-Up Lavatory Drain with No. 2 China escutcheon for small lavatory with back.
No. D-902 Pop-Up Lavatory Drain with No. 4 China escutcheon for small lavatory without back.
No. D-903 Pop-Up Lavatory Drain with No. 6 Nickel-plated escutcheon for small lavatory.
No. D-904 Pop-Up Lavatory Drain with No. 8 Nickel-plated escutcheon, bevelled side for small lavatory with back.
No. D-905 Pop-Up Lavatory Drain with No. 10 China escutcheon.
No. D-906 Pop-Up Lavatory Drain with No. 12 Nickel-plated escutcheon.
No. D-907 Pop-Up Lavatory Drain with soap dish escutcheon.
Large waterway through plug insures rapid drainage.
For enameled iron, vitreous or porcelain lavatories.



“REPUBLIC” POP-UP LAVATORY DRAIN “ESCUTCHEONS”



No. 2

1 $\frac{1}{4}$ " Base China Escutcheon for
No. 901 lavatory drain



No. 4

1 $\frac{7}{8}$ " Base China Escutcheon for
No. 902 lavatory drain



No. 6

1 $\frac{1}{4}$ " Base Nickel-plated Escutcheon for
No. 903 lavatory drain



No. 8

1 $\frac{1}{4}$ " Base Nickel-plated Escutcheon, Bevelled
Side for No. 904 lavatory drain



No. 10

2 $\frac{5}{16}$ " Base China Escutcheon for
No. 905 lavatory drain



No. 12

2 $\frac{1}{4}$ " Base Nickel-plated Escutcheon for
No. 906 lavatory drain



“REPUBLIC” POP-UP LAVATORY DRAIN



No. D-908

No. **D-908** Pop-Up Lavatory Drain with China cross handle operating through back of enameled iron lavatory.


No. **D-908-V** Same as No. D-908 but for Vitreous China lavatory.

No. **D-909** Same as No. D-908 but with China lever handle.

No. **D-909-V** Same as No. D-909 but for Vitreous China lavatory.

Specify type and make of lavatory to be used on.

"REPUBLIC" COMBINATION LAVATORY FIXTURE





“REPUBLIC” COMBINATION LAVATORY FIXTURE



No. D-910

No. D-910 Combination Lavatory Fixture, China handles, China escutcheons, $\frac{1}{4}$ " threaded tails on valves, Pop-Up Drain with China knob and $1\frac{1}{4}$ " tail.

For vitreous or enameled iron lavatories.

No. D-910-X Same as No. D-910, but with 5" Spout for hooded overflow vitreous lavatories.

Valves have large waterway, removable seats.


Nickel-plated—4-ball China index handles furnished if so specified.



"REPUBLIC" COMBINATION LAVATORY FIXTURE

Chromium Plated

Black Decorated China Handles, Escutcheons and Knob



No. D-910-B

No. D-910-B. Combination Lavatory Fixture with Chromium Plated Exposed Metal Parts. Black Decorated China Handles and Escutcheons. $\frac{1}{4}$ " threaded tails on valves. Pop-up Drain with Black Decorated China Knob and $1\frac{1}{4}$ " tail.

No. D-910-X-B. Same as No. D-910-B but with 5" spout for hooded overflow vitreous lavatories.




“REPUBLIC” COMBINATION LAVATORY FIXTURE

Chromium Plated

Black Decorated China Knob and Escutcheons

“Permo” Handles




No. D-910-L

No. D-910-L Combination Lavatory Fixture. Quick Compression. Chromium Plated exposed metal parts. Black decorated China escutcheons, “Permo” handles, $\frac{1}{4}$ ” threaded tail on valves. Pop-up drain with black decorated China knob and $1\frac{1}{4}$ ” tail.
No. D-910-X-L Same as No. D-910-L but with 5” spout for hooded overflow vitreous lavatories.



“REPUBLIC” COMBINATION LAVATORY FIXTURE

Chromium Plated



No. D-910-M


No. **D-910-M** Chromium Plated Combination Lavatory Fixture with index metal handles, metal escutcheons, $\frac{1}{4}$ " threaded tails on valves. Pop-up drain with metal knob and $1\frac{1}{4}$ " tail.

No. **D-910-X-M** Same as No. D-910-M but with 5" spout for hooded overflow vitreous lavatories.



"REPUBLIC" COMBINATION LAVATORY FIXTURE

CHINA SPOUT



No. D-911

No. D-911 Combination Lavatory Fixture with China spout, China handles, China escutcheons, pop up drain with China knob. $4\frac{5}{8}$ " spout.


For vitreous or enameled iron lavatories.

Valves have large waterway. Removable seats.

No. D-911-X Same as D-911 but with $3\frac{3}{4}$ " spout.



“REPUBLIC” COMBINATION LAVATORY FIXTURE



No. D-912

No. **D-912** Combination Lavatory Fixture with China handles, China escutcheons, Nickel-plated spout, drain plug, chain and rubber stopper.

No. **D-912-X** Same as No. D-912 but with 5" spout for hooded overflow vitreous lavatory.


No. **D-912-M** Same as No. D-912 but with metal handles and escutcheons.

No. **D-912-X-M** Same as No. D-912-X but with metal handles and escutcheons.

Nickel-plated 4-ball China index handles furnished if so specified.



"REPUBLIC" COMBINATION LAVATORY FIXTURE



No. D-913

No. **D-913** Combination Lavatory Fixture with China soap dish, China handles, China escutcheons, Nickel-plated spout, drain plug, chain and rubber stopper.

No. **D-913-X** Same as No. D-913 but with 5" spout for hooded overflow vitreous lavatories.


No. **D-913-M** Same as No. D-913 but with metal handles and escutcheons.

No. **D-913-X-M** Same as No. D-913-X but with metal handles and escutcheons.

Nickel-plated 4-ball China index handles furnished if so specified.



“REPUBLIC” COMBINATION LAVATORY FIXTURE



No. D-914

No. **D-914** Combination Lavatory Fixture with China handles, China escutcheons, Nickel-plated gooseneck spout, drain plug, chain and rubber stopper.


No. **D-914-M** Same as No. D-914 but with metal handles and escutcheons.

Nickel-plated 4-ball China index handles furnished if so specified.

No. **D-915** Not illustrated. Supply and Pop-Up Drain Fixture for integral supply lavatory.



“REPUBLIC” COMBINATION LAVATORY AND ICE WATER FIXTURE



No. D-916

No. D-916 Combination Lavatory Fixture with push button self-closing ice water control, China handles, China escutcheons, Nickel-plated spout, drain plug, bead chain and rubber stopper.



“REPUBLIC” LAVATORY FIXTURE

Concealed Spout



No. D-917

No. D-917 Concealed Spout Lavatory Fixture, China handles, China escutcheons, pop-up drain with China knob.

No. D-917-M Same as No. D-917 but with metal handles and escutcheons.



"REPUBLIC" LAVATORY FIXTURE WITH INTEGRAL STOP VALVES

BUILT IN WALL

Concealed Spout

Patent No. 1,556,406



No. D-918

No. D-918 Concealed Spout Lavatory Fixture, $\frac{1}{2}$ " Integral Stop Valves built in wall, China handles, China escutcheons, pop-up drain with China knob.

No. D-918-M Same as No. D-918 but with metal handles and escutcheons.

Integral stops under the escutcheons.

Eliminates the supplies and controls under the lavatory.

Gives you slab room on lavatory which is advantageous.



“REPUBLIC LAVATORY FIXTURE

For Integral Supply Lavatories



No. D-919

No. D-919 Lavatory Fixture for Integral Supply Lavatories, China handles, China escutcheons, pop-up drain with China knob.

No. D-919-M Same as No. D-919 but with metal handles and escutcheons.



"REPUBLIC" COMBINATION LAVATORY AND ICE WATER FIXTURE



No. D-920

No. D-920 Combination Lavatory and Ice Water Fixture, China handles, China escutcheons on lavatory valves, push button self-closing ice water faucet, China index marked "ice water," China escutcheon on ice water faucet pop-up drain with China knob. For vitreous or enameled iron lavatories.

No. D-920-X Same as No. D-920 but with 5" spout for hooded overflow vitreous lavatories.

No. D-920-M Same as No. D-920 but with metal handles and escutcheons.

No. D-920-X-M Same as No. D-920-X but with metal handles and escutcheons.

No. D-921 Same as No. D-920 but with No. D-1101 compression valve for ice water instead of self closing type.

No. D-921-X Same as No. D-921 but with 5" spout for hooded overflow lavatory.

No. D-921-M Same as No. D-921 but with metal handles and escutcheons.

No. D-921-X-M Same as No. D-921-X but with metal handles and escutcheons.

Nickel-plated 4-ball China index handles furnished if so specified.



“REPUBLIC” LAVATORY FIXTURE WITH INTEGRAL STOP VALVES

BUILT IN WALL

Patent No. 1,556,406



No. D-925

No. D-925 Lavatory Fixture $\frac{1}{2}$ " Integral Stop Valves built in wall. China handles, China escutcheons, pop-up drain with China knob.

No. D-925-M Same as No. D-925 but with metal handles and escutcheons.

No. D-925-C Same as No. D-925 but with China spout.

Integral stops under the escutcheons.

Eliminates the supplies and controls under the lavatory.

Gives you slab room on lavatory which is advantageous.



"REPUBLIC" TWO-WAY SERVICE CONTROL LAVATORY AND SHAMPOO FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034



No. D-926

No. D-926 Concealed Spout Lavatory and Shampoo Fixture. $\frac{1}{2}$ " Integral stop valves, pop-up drain with China knob, China handles, China escutcheons, shampoo outlet, hose, spray and wall hook.

No. D-926-M Same as No. D-926 but with metal handles and escutcheons.

No. D-927 Same as No. D-926 but for integral supply lavatories.

No. D-927-M Same as No. D-927 but with metal handles and escutcheons.



"REPUBLIC" TWO-WAY SERVICE CONTROL LAVATORY AND SHAMPOO FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,556,406



No. D-928

No. D-928 Lavatory and Shampoo Fixture. $\frac{1}{2}$ " Integral stop valves, pop-up drain with China knob, China handles, China escutcheons, shampoo outlet, hose, spray and wall hook.
No. D-928-M Same as No. D-928 but with metal handles and escutcheons.



“REPUBLIC” NUBIAN TWO-WAY SERVICE CONTROL LAVATORY AND SHAMPOO FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,647,984—1,556,406



No. D-934

No. D-934 Lavatory and Shampoo Fixture with Two-way Valve for diverting tempered water to the Shampoo or Lavatory.

$\frac{1}{2}$ " Integral stop valves, pop-up drain with Black China knob and escutcheon. "Permo" handles and plate. Shampoo outlet, hose, spray and hook. The Black "Permo" plate and handles, black China knob and escutcheon form a striking contrast of color and harmonize with almost any color scheme.



“REPUBLIC” NUBIAN LAVATORY FIXTURE

Patent Nos. 1,556,406—1,647,984

“Permo” Plate and Handles

Chromium Plated



No. D-935

No. D-935 “Nubian” Concealed Spout Lavatory Fixture. $\frac{1}{2}$ ” Integral stop valves, “Permo” plate and handles, black decorated China knob and escutcheon on pop-up, Chromium plated exposed metal parts.

Furnished for mixing chamber lavatories instead of concealed spout as shown, if so specified.



"REPUBLIC" NUBIAN LAVATORY FIXTURE

"Permo" Plate and Handles

Chromium Plated

Patent Nos. 1,556,406—1,647,984




No. D-936

No. D-936 "Nubian" Lavatory Fixture. $\frac{1}{2}$ " Integral stop valves, black decorated China knob, Chromium plated exposed metal parts.



“REPUBLIC” LAVATORY FIXTURES



No. D-947

No. D-947 Lavatory Fixture. Interchangeable 4-ball China index handles, compression valves with Nickel-plated gooseneck spout 6" high, fitted with Shampoo hose coupling. Adjustment from 8 to 15 inches.



No. D-948

No. D-948 Lavatory Fixture. Interchangeable 4-ball China index handles, compression valves, Nickel-plated spout. Adjustment from 8 to 15 inches. Can also be furnished with lever handles if so specified.




“REPUBLIC” COMBINATION DOUBLE LAVATORY FAUCET

With Self Closing Push Button Ice Water Control

China Lever Handles

CHROMIUM PLATE FURNISHED IF SO SPECIFIED




No. 642

No. 642 Combination Double Lavatory Faucet with self closing push-button ice water control.



"REPUBLIC" VALVE

For Built-in Installations



- 71 } Hot China Handle
- 72 } Cold China Handle
- 96 Broached Handle Stem
- 120 Spud Screw
- 67-A Stem
- 65 Escutcheon Holder
- 66 China Escutcheon
- 63 Escutcheon Holder Nipple { Allowing 1" adjustment
- 62 Stuffing Box Nut

Republic Valve Construction

- 61-A Removable Unit (heavy square threads)
- 69 Fibre Washer
- 68 Stuffing Box Packing
- 58 Valve Body (bronze metal perfectly machined)
- 90 Swivel Disc (encasing washer)
- 121 Fibre Washer
- 122 Seat Screw
- 91 Raised Seat (high content tin brass)

Stem—Broached to eight adjustments, assuring alignment of lettering on handle. Broaching assures handle not becoming loose, due to greater contact surface of handle spud on stem.



“REPUBLIC” VALVES

For Built-in Installations

CHROMIUM PLATED EXPOSED METAL PARTS FURNISHED IF SO SPECIFIED



No. D-1100



No. D-1101



No. D-1105

No. D-1100 $\frac{1}{2}$ " Built-in Valve with by-pass, China handle, China escutcheon.

No. D-1100-A $\frac{3}{4}$ " Built-in Valve with by-pass, China handle, China escutcheon.

No. D-1101 $\frac{1}{2}$ " Built-in Valve globe pattern, China handle, China escutcheon.

No. D-1101-A $\frac{3}{4}$ " Built-in Valve globe pattern, China handle, China escutcheon.

No. D-1105 $\frac{1}{2}$ " Built-in Corner Valve, China handle, China escutcheon.



“REPUBLIC” VALVES SHORT PATTERN

For Built-in Installations

CHROMIUM PLATED EXPOSED METAL PARTS FURNISHED IF SO SPECIFIED



No. D-1103



No. D-1104



No. D-1106

No. D-1103 $\frac{1}{2}$ " Built-in Valve with by-pass, China handle, China escutcheon.

No. D-1104 $\frac{1}{2}$ " Built-in Valve globe pattern, China handle, China escutcheon.

No. D-1106 $\frac{1}{2}$ " Built-in Corner Valve, China handle, China escutcheon.


Nickel-plated—4-ball China index handles furnished if so specified.




“REPUBLIC” VALVES

For Built-in Installations


CHROMIUM PLATED EXPOSED METAL PARTS FURNISHED IF SO SPECIFIED



No. 263



No. 265



No. 268

No. 263 1/2" Built-in Valve with flat China escutcheon, China handle, body finished Nickel-plated, escutcheon holder adjusting on body.

No. 265 1/2" Built-in Valve with by-pass, with flat China escutcheon, China handle, body finished Nickel-plated, escutcheon holder adjusting on body.

No. 268 1/2" Built-in Corner Valve with flat China escutcheon, China handle, body finished Nickel-plated, escutcheon holder adjusting on body.

Nickel-plated—4-ball China index handles furnished if so specified.

Nickel-plated escutcheon furnished if so specified.

Rough Nickel-plated with Japanned iron wheel handle furnished if so specified.



“REPUBLIC” VALVES

For Built-in Installations

CHROMIUM PLATED EXPOSED METAL PARTS FURNISHED IF SO SPECIFIED

Screw Driver Slot Stem

LONG PATTERN



No. D-1107

SHORT PATTERN



No. D-1108

- No. D-1107 $\frac{1}{2}$ " Built-in Valve globe pattern, screw driver slot stem, China escutcheons.
No. D-1107-A $\frac{3}{4}$ " Built-in Valve globe pattern, screw driver slot stem, China escutcheons.
No. D-1108 Short Pattern. $\frac{1}{2}$ " Built-in Valve globe pattern, screw driver slot stem, China escutcheons.

Nickel-plated—4-ball China index handles furnished if so specified.


Detail of construction of built-in valves see page 51.



“REPUBLIC” INTEGRAL STOP VALVE

For Built-in Installations

Patent No. 1,556,406



No. D-1110

No. D-1110 $\frac{1}{2}$ " Corner Valve with Integral Stop, with China escutcheon, China handle, union coupling.

No. D-1110-A $\frac{3}{4}$ " Corner Valve with Integral Stop.

No. D-1111 $\frac{1}{2}$ " By-Pass Valve with Integral Stop for built-in installation.

No. D-1111-A $\frac{3}{4}$ " By-Pass Valve with Integral Stop for built-in installation.

Screw Driver Slot Stem, controlling integral stop under the escutcheon.



“REPUBLIC” BUILT-IN SELF CLOSING VALVE

Push Button

China Index Button

China Escutcheon



No. D-1112

We can furnish China Index Button marked—Ice Water, Ice, Drinking Water, City Water, City, and Plain, as specified.


“REPUBLIC” SELF CLOSING PUSH BUTTON ICE WATER FAUCET

With Swing Spout

China Escutcheon

Covering Body of Faucet

CHROMIUM PLATE FURNISHED IF SO SPECIFIED




No. 460



“REPUBLIC” SELF CLOSING PUSH BUTTON ICE WATER FAUCET

With Swing Spout


CHROMIUM PLATE FURNISHED IF SO SPECIFIED



No. 461

No. 461 Swing Spout Self Closing Push Button Ice Water Faucet with regulator.

CHROMIUM PLATE FURNISHED IF SO SPECIFIED




No. 462

No. 462 Swing Spout Self Closing Push Button Ice Water Faucet with regulator.
No. 463 Same as No. 461 Rigid outlet less Swing Spout.



‘REPUBLIC’ SHOWERS WITH VALVE CONTROLS



V. C.


Our No. D-1107 Screw Driver Slot Stem Valve Controls. Assembled with Showers. Specify the letters V. C. after figure number of fixture desired.

Valve Controls assembled to bath fixtures with brass nipples. Connections sweated.



"REPUBLIC" COMPRESSION MIXING VALVE

Patent No. 1,210,105



No. D-1116

No. D-1116 Republic Concealed Type Mixing Valve. No. D-1116-M Same as D-1116 but with metal dial plate and metal handles.
No. D-1117 Republic Exposed Type Mixing Valve.

The Republic Compression Mixing Valve is so constructed that the main valve is of compression type, having a single plunger. This assures positive action and positive sealing of the washer discs against both hot and cold water ports.

By the use of the single plunger type of construction, the main valve can be accurately machined allowing a tolerance of not to exceed $\frac{3}{1000}$ of an inch, thereby reducing water seepage to less than $\frac{3}{4}$ of 1% of the total volume. This perfect control eliminates the waste of hot water which occurs in most all types of showers even when a cold bath is drawn.

The compression construction embodied in this valve is similar to compression construction of a faucet. The removal of single operating part of this valve permits replacing of washers when necessary.

Compression construction mixing valve is unquestionably an improvement on all other types of mixing valves now on the market.

Compression construction mixing valve can be maintained as advantageously as a compression faucet; the occasional replacing of washers is all that is necessary.



“REPUBLIC” SHOWER

Patent No. 1,210,105



No. D-1118

No. D-1118 N. P. Mixing Valve Shower with 42" x 24" rectangular curtain support with ceiling brace, bent arm, 4" N.P. ball joint shower head with removable face and volume control. Duck curtains, pins, hold back, $\frac{1}{2}$ " supply to wall, 8" centers.

No. D-1119 Same as 1118—but with supplies to floor.



"REPUBLIC" SHOWER

Patent No. 1,210,105



No. D-1120

No. D-1120 Nickel-plated Mixing Valve Shower, gooseneck riser, 4" Nickel-plated cast brass ball joint shower head with volume control. $\frac{1}{2}$ " supply to wall, 8" centers.

No. D-1120-F Same as No. D-1120, but with $\frac{1}{2}$ " supplies to floor.

No. D-1120-K Same as No. D-1120 but with $\frac{1}{2}$ " supplies to ceiling.



“REPUBLIC” SHOWER

Patent No. 1,210,105



No. D-1121

No. D-1121 N. P. Mixing Valve Shower with 24" x 30" oval curtain ring, offset arm, 5" N. P. cast brass shower head with removable face and volume control, duck curtain, pins and hold-back. 8" centers.

No. D-1121-F Same as No. D-1121 but with $\frac{1}{2}$ " supplies to floor.

No. D-1121-K Same as No. D-1121 but with $\frac{1}{2}$ " supplies to ceiling.

For roughing-in measurements see page 158.



"REPUBLIC" SHOWER

Patent No. 1,210,105



No. D-1122

No. **D-1122** Nickel-plated Mixing Valve Shower with shampoo and 24" curtain ring, duck curtain and pins. 5" Nickel-plated cast brass shower head with volume control. Rubber hose and shampoo spray. China handles on valves. $\frac{1}{2}$ " supply to wall. 8" centers.

No. **D-1122-F** Same as No. D-1122, but with supplies to floor.

No. **D-1123** Same as No. D-1122, but with 24" x 30" oval curtain ring.

No. **D-1123-F** Same as No. D-1123, but with supplies to floor.

No. **D-1124** Same as No. D-1122, but with 42" x 24" rectangular curtain support.

No. **D-1124-F** Same as No. D-1124, but with supplies to floor.



“REPUBLIC” SHOWER

Patent No. 1,210,105



No. D-1125

No. D-1125 $\frac{1}{2}$ " Built-in Mixing Valve Shower with china dial plate. Bent arm with china wall flange. 4" Nickel-plated cast brass ball joint shower head, with volume control.

For roughing-in measurements see page 159.



“REPUBLIC” SHOWER

Patent No. 1,210,105



No. D-1126

No. **D-1126** $\frac{1}{2}$ " Built-in Mixing Valve Shower with china dial plate, 24" curtain ring, duck curtain and pins. 5" Nickel-plated cast brass shower head, with volume control.

No. **D-1126-O** Same as No. D-1126 but with 24" x 30" oval curtain ring.

No. **D-1126-R** Same as No. D-1126, but with 24" x 42" rectangular curtain support.

For roughing-in measurements see page 159.



“REPUBLIC” SHAMPOO FIXTURE

Patent No. 1,210,105



No. D-1127


No. D-1127 Built-in Mixing Valve Shampoo Fixture; volume regulator on shampoo outlet.

For roughing-in measurements see page 159.



“REPUBLIC” SHOWER AND SHAMPOO FIXTURE

Patent No. 1,210,105



No. D-1129

No. D-1129 Mixing Valve Shower and Shampoo Fixture; check valves assembled on inlets.

No. D-1130 Same as No. D-1129 but with 24" curtain ring, duck curtain and pins.

Volume control on shower head.
For roughing-in measurements see page 161.



“REPUBLIC” SHOWER AND NEEDLE BATH

Patent No. 1,210,105



No. D-1132


No. D-1132 Shower and Needle Bath. $\frac{3}{4}$ " Built-in Mixing Valve with check valves.
Bent Arm with ball joint cast brass removable face shower head with volume control.
Six Rose Sprays.
Two Top Rose Sprays have ball joints.
Separate Controls for Shower head and sprays.
Care must be taken to provide ample volume and pressure of both hot and cold water.

For roughing-in measurements see page 160.



“REPUBLIC” SHOWER AND NEEDLE BATH

Patent No. 1,210,105



No. D-1134

No. D-1134 Shower and Needle Bath, $\frac{3}{4}$ " built-in mixing valve with check valves, bent arm with ball joint cast brass removable face shower head with volume control, nine rose sprays, three top sprays have ball joints, separate controls for shower head and sprays, test outlet and control.

Care must be taken to provide ample volume and pressure of both hot and cold water.

For roughing-in measurements see page 160.



"REPUBLIC" CHAIN AND PULL SHOWERS



No. D-1138




No. D-1139

No. **D-1138** Chain and Pull Shower with straight arm and 4" Nickel-plated cast shower head, supply from ceiling.

No. **D-1139** Chain and Pull Shower with bent arm, 4" Nickel-plated cast shower head, wall supply.



“REPUBLIC” PORTABLE SHOWER



No. D-1140

No. D-1140 Portable Shower. 24" curtain ring, 4" Nickel-plated cast brass shower head, duck curtain and pins, rubber hose and connecting bulb.



“REPUBLIC” INDUSTRIAL SHOWER

Patent No. 1,210,105




No. D-1142

No. **D-1142** Rough N. P. $\frac{1}{2}$ " Exposed Mixing Valve with elbow union coupling, $\frac{1}{2}$ " galvanized I. P. gooseneck riser and pipe holder, 4" rough N. P. cast brass shower head with removable face, volume regulator.



“REPUBLIC” INDUSTRIAL SHOWER




No. D-1143

No. D-1143 Rough N. P. $\frac{1}{2}$ " Shower, $\frac{1}{2}$ " union coupling, $\frac{1}{2}$ " galvanized I. P. gooseneck riser and pipe holder, 4" rough N. P. cast brass shower head with removable face.

No. D-1143-F Same as No. D-1143, but union couplings reversed. For supplies to floor.



“REPUBLIC” INDUSTRIAL SHOWER



No. D-1144

No. D-1144 $\frac{1}{2}$ " Industrial Shower with union couplings, rough Nickel-plated body, rough Nickel-plated cast brass shower head and bent arm. 6" center to center.

We do not furnish galvanized iron pipe riser and elbow.

No. D-1144-F Same as No. D-1144 but union couplings reversed. For supplies to floor.



“REPUBLIC” SHOWER



No. D-1145

No. D-1145 Nickel-plated Shower with gooseneck riser, 4" cast brass ball joint shower head. China handles, $\frac{1}{2}$ " supply to wall, 6" centers.

No. D-1146 Same as No. D-1145 but with $\frac{1}{2}$ " supplies to floor.


No. D-1147 Same as No. D-1145 but with $\frac{1}{2}$ " supplies to ceiling.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see pages 161 and 163.



“REPUBLIC” CLUB SHOWER



No. D-1148

No. D-1148 Club Shower, rough Nickel-plated, combination control and check valves, test outlet with control, four ball China index handles, 5" cast brass shower head with removable face.



“REPUBLIC” SHOWER



No. D-1149

No. **D-1149** N. P. Shower with 24" x 42" Rectangular Curtain Support with ceiling brace, bent arm, 4" N. P. cast brass ball joint shower head with removable face, supply to wall.
No. **D-1149-F** Same as No. D-1149, but with supplies to floor.

Nickel Plated—4-Ball China Index Handles furnished if so specified.
For roughing-in measurements see page 161.



"REPUBLIC" SHOWER



No. D-1150

No. **D-1150** Nickel-plated Shower with 24" curtain ring, duck curtain and pins, China handles, 5" cast brass shower head. $\frac{1}{2}$ " supply to wall. 6" centers.

No. **D-1150-F** Same as No. D-1150 but with $\frac{1}{2}$ " supplies to floor.

No. **D-1150-K** Same as No. D-1150 but with $\frac{1}{2}$ " supplies to ceiling.

No. **D-1151** Same as No. D-1150 but with 24" x 30" oval curtain ring.

No. **D-1151-F** Same as No. D-1151 but with $\frac{1}{2}$ " supplies to floor.

No. **D-1151-K** Same as No. D-1151 but with $\frac{1}{2}$ " supplies to ceiling.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see pages 161 and 163.



"REPUBLIC" SHOWER AND SHAMPOO



No. D-1152

No. D-1152 Nickel-plated 4-valve Shower and Shampoo with 24" curtain ring, duck curtain and pins, China handles, 5" cast brass shower head. Rubber hose and shampoo spray. $\frac{1}{2}$ " supply to wall. 6" centers.

No. D-1152-F Same as No. D-1152 but with $\frac{1}{2}$ " supplies to floor.

No. D-1153 Same as No. D-1152 but with 24" x 30" oval curtain ring.

No. D-1153-F Same as No. D-1153 but with $\frac{1}{2}$ " supplies to floor.

No. D-1154 Same as No. D-1152 but with 24" x 42" rectangular curtain support with ceiling brace.


No. D-1154-F Same as No. D-1154 but with $\frac{1}{2}$ " supplies to floor.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 161.



"REPUBLIC" FOUR-VALVE SUPPLY UNIT




No. D-1162

No. **D-1162** Four-Valve Supply Unit with China handles and high bell China escutcheons. 6" center to center of valves. 8" from lower valves to upper valves.

No. **D-1162-M** Same as No. D-1162 but with metal handles and escutcheons. 6" center to center on valves. 8" from lower to upper valves.



“REPUBLIC” FOUR-VALVE SUPPLY UNIT



No. D-1163


No. **D-1163** Four-Valve Supply Unit with China handles, flat China escutcheons, finished Nickel-plated body.

No. **D-1163-M** Same as No. D-1163 but with metal handles and escutcheons.
6" center to center on valves. 8" from lower to upper valves.



"REPUBLIC" DOUBLE SHOWER VALVES

(For Built-in Installations)



No. D-1164

No. **D-1164** Double Valve body only, $\frac{1}{2}$ " built-in 2-valve shower body with flat China escutcheons, China handles, body finished Nickel-plated, large escutcheon holders, adjusting on body, union couplings on body, 6" centers.

No. **D-1164-M** Same as No. D-1164 but with metal handles and escutcheons.

Nickel-plated—4-ball China index handles furnished if so specified.



No. D-1165

No. **D-1165** Double Valve body that can be used for either shower supply or bath supply, body tapped $\frac{1}{2}$ " outlets, top and bottom, flat China escutcheons, China handles, body finished N. P., large escutcheon holders adjusting on body, union couplings on body, 6" centers.


No. **D-1165-M** Same as No. D-1165 but with metal handles and escutcheons.

Nickel-plated—4-ball China index handles furnished if so specified.



“REPUBLIC” DOUBLE SHOWER VALVES

(For Built-in Installations)



No. D-1166

No. **D-1166** Double Valve body only, $\frac{1}{2}$ " built-in 2-valve shower body with high bell China escutcheons, China handles, union couplings on body, 6" centers.

No. **D-1166-M** Same as No. D-1166 but with metal handles and escutcheons.

Nickel-plated—4-ball China index handles furnished if so specified.



No. D-1167

No. **D-1167** Double Valve body that can be used for either shower supply or bath supply, body tapped $\frac{1}{2}$ " outlets, top and bottom, high bell China escutcheons, China handles, union couplings on body, 6" centers.

No. **D-1167-M** Same as No. D-1167 but with metal handles and escutcheons.

Nickel-plated—4-ball China index handles furnished if so specified.



“REPUBLIC” SHOWER



No. D-1170

No. **D-1170** $\frac{1}{2}$ " Built-in 2-Valve Shower Body with union couplings. Bent arm, China wall flange, 4" cast brass ball joint shower head, China handles, China escutcheons, 6" centers.

No. **D-1170-I** Same as No. D-1170 but with Integral Stops.

No. **D-1170-M** Same as No. D-1170 but with Metal Handles and escutcheons.

No. **D-1170-M-I** Same as No. D-1170-M but with Integral Stops.

Nickel-plated—4-ball China index handles furnished if so specified.


For roughing-in measurements see page 162.



"REPUBLIC" SHOWER

China Shower Head

White Finish Arm



No. D-1170-C


No. D-1170-C $\frac{1}{2}$ " Built-in 2-Valve Shower Body with union couplings, white finish bent arm, China wall flange, $4\frac{1}{2}$ " ball joint China shower head with removable face, China handles, China escutcheons, 6" centers.

No. D-1170-C-I Same as No. D-1170-C but with Integral Stops.

For roughing-in measurements see page 162.



“REPUBLIC” SHOWER



No. D-1171

No. **D-1171** $\frac{1}{2}$ " Built-in 2-Valve Shower Body with union couplings, offset arm, 5" cast brass shower head with 24" curtain ring, duck curtain and pins, 6" centers.

No. **D-1171-I** Same as No. D-1171 but with Integral Stops.

No. **D-1171-M** Same as No. D-1171 but with Metal handles and escutcheons.

No. **D-1171-M-I** Same as No. D-1171-M but with Integral Stops.


No. **D-1171-O** Same as No. D-1171 but with 24" x 30" oval curtain ring.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 162.



“REPUBLIC” SHOWER



No. D-1172

No. **D-1172** $\frac{1}{2}$ " Built-in 2-Valve Shower Body with union couplings, 24" x 42" rectangular curtain support with ceiling brace, 4" cast brass ball joint removable face, shower head, duck curtain and pins, China handles, China escutcheons, 6" centers.

No. **D-1172-I** Same as No. D-1172 but with Integral Stops.


No. **D-1172-M** Same as No. D-1172 but with Metal handles and escutcheons.

No. **D-1172-M-I** Same as No. D-1172-M but with Integral Stops.

Nickel-plated—4-ball China index handles furnished if so specified.
For roughing-in measurements see page 162.



“REPUBLIC” SHOWER AND SHAMPOO



No. D-1173

No. **D-1173** 1/2" Built-in 4-Valve Shower and Shampoo with union couplings, bent arm China wall flange, 4" cast brass ball joint shower head, rubber hose and shampoo spray, China handles, China escutcheons, 6" centers.

No. **D-1173-I** Same as No. D-1173 but with Integral Stops.

No. **D-1173-M** Same as No. D-1173 but with Metal handles and escutcheons.

No. **D-1173-M-I** Same as No. D-1173-M but with Integral Stops.

No. **D-1174** Same as No. D-1173 but with 24" curtain ring, 5" cast brass shower head, duck curtain and pins.

No. **D-1174-I** Same as No. D-1174 but with Integral Stops.

No. **D-1174-M** Same as No. D-1174 but with Metal handles and escutcheons.

No. **D-1174-M-I** Same as No. D-1174-M but with Integral Stops.

No. **D-1174-O** Same as No. D-1174 but with 24" x 30" oval curtain ring.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 162.




REPUBLIC "NUBIAN" SHOWER

"Permo" Plate and Handles

Chromium Plated

Patent Nos. 1,556,406—1,647,984



No. D-1175

No. D-1175 Nubian Shower $\frac{1}{2}$ " Integral Stop Valves. Permo Plate and Handles. 4" Cast Brass Ball Joint, Shower Head and Bent Arm. Chromium Plated Exposed Metal Parts, 6" Centers.

For roughing-in measurement see page 164.

“REPUBLIC” SHAMPOO FIXTURES



No. D-1180

No. D-1180 1/2" Built-in 2-valve Shampoo Fixture with union couplings, China handles, China escutcheons, rubber hose and shampoo spray, 6" centers.

No. D-1180-I Same as No. D-1180 but with Integral Stops.

No. D-1180-M Same as No. D-1180 but with Metal handles and escutcheons.

No. D-1180-M-I Same as No. D-1180-M but with Integral Stops.

Nickel-plated—4-ball China index handles furnished if so specified.



No. D-1182

No. D-1182 Nickel-plated Quick Compression Double Shampoo Fixture with rubber hose and shampoo spray. China lever handles, 3 3/8" centers.




“REPUBLIC” SLOP SINK FIXTURE

China Handles

China Escutcheons

CHROMIUM PLATED EXPOSED METAL PARTS FURNISHED IF SO SPECIFIED




No. 536

No. 536 Slop Sink Fixture. Bucket hook, adjustable wall brace bottom of spout. For wall installations.

No. 537 Slop Sink Fixture. Same as No. 536 but for enameled slop sink with back.



“REPUBLIC” SLOP SINK FIXTURE



No. D-1190

No. **D-1190** Slop Sink Fixture. Bucket hook and adjustable wall brace. For slop sink without back. Brace bottom of spout.

No. **D-1191** Same as No. D-1190 but with Integral Stops. Patent No. 1,620,186

Furnished $\frac{1}{2}$ " or $\frac{3}{4}$ " female flange, as specified. 8" centers.

Can be furnished with hose end, if so specified.

Nos. **D-1190, D-1191** Slop Sink Fixtures are furnished regular with spout measuring $7\frac{1}{2}$ " from center of body to center of outlet of spout. Will furnish these Slop Sink Fixtures with 4", 5" or 6" spout if so specified, at no additional cost.



"REPUBLIC" SLOP SINK FIXTURE



No. D-1192

No. **D-1192** Slop Sink Fixture. Bucket hook and adjustable wall brace. For slop sink with back. Brace top of spout.

No. **D-1193**—Same as No. D-1192 but with Integral Stops. Patent No. 1,620,186
8" Centers.


Furnished $\frac{1}{2}$ " or $\frac{3}{4}$ " Female Flange, as Specified.

Can be furnished with hose end spout if so specified.

Nos. **D-1192** and **D-1193** Slop Sink Fixtures are furnished regular with spout measuring $7\frac{1}{2}$ " from center of body to center of outlet of spout. Will furnish these Slop Sink Fixtures with 4", 5" or 6" spout if so specified, at no additional cost.



“REPUBLIC” SLOP SINK FIXTURE



No. D-1195

No. D-1195 Slop Sink Fixture, rough Nickel-plated.


No. D-1195-I Slop Sink Fixture with Integral Stops. Patent No. 1,620,186

No. D-1196 Slop Sink Fixture, same as No. D-1195 but with Hose End Spout.

No. D-1196-I Slop Sink Fixture, same as No. D-1196 but with Integral Stops. Patent No. 1,620,186



“REPUBLIC” BATH FIXTURE



No. D-1200

Details of construction of “REPUBLIC” No. D-1200 bath fixtures.

Side adjustments are made possible by the use of off-set supply from valve fitting to supply yoke.

Valves are by-pass, removable seats. 1" adjustment on escutcheons. See page 51 for further detail of valve construction.

Drain tee with slip-screw connections. See page 110 for details of construction—slip-screw drain tee.

The flexibility of this fixture makes it the most simple on the market to install.

The bath fixture with supply and drain lift in one unit. All parts are brass. 11" centers.

For roughing-in measurements see page 165



"REPUBLIC" BATH FIXTURE



No. D-1200

No. D-1200 Top Nozzle Supply and Waste Fixture for end wall. $\frac{1}{2}$ " supply, 2" drain, $1\frac{1}{2}$ " tail, China handles, China escutcheons.

Slip-screw drain tee. 11" centers on valves.

No. D-1200-I Same as No. D-1200 but with Integral Stops.

No. D-1200-M Same as No. D-1200 but with Metal handles and escutcheons.

No. D-1200-M-I Same as No. D-1200-M but with Integral Stops.

No. D-1200-C Same as No. D-1200 but with China Spout.

No. D-1200-C-I Same as No. D-1200-C but with Integral Stops.

Also furnished with $\frac{3}{4}$ " valves if so specified.

For roughing-in measurements see page 165.



"REPUBLIC" SHOWER AND BATH FIXTURE



No. D-1202

No. **D-1202** Shower and Bath Fixture consisting of our No. D-1200 bath fixture with our No. D-1170 Shower.

Brass connecting pipes between bath fixture and shower.

China handles, China escutcheons. Slip screw drain tee.

No. **D-1202-I** Same as No. D-1202 but with Integral Stops.

No. **D-1202-M** Same as No. D-1202 but with Metal handles and escutcheons.

No. **D-1202-M-I** Same as No. D-1202-M but with Integral Stops.

No. **D-1202-C** Same as No. D-1202 but with China nozzle.

No. **D-1202-C-I** Same as No. D-1202-C but with Integral Stops.

Bath Fixture has 11" center to center of valves.

Also furnished with $\frac{3}{4}$ " valves if so specified.

For roughing-in measurements see page 165.



"REPUBLIC" BATH FIXTURE AND SHOWER

Patent No. 1,210,105



No. D-1203

No. D-1203 Bath Fixture and Shower consisting of our No. D-1200 bath fixture and No. D-1125 mixing valve shower, volume control shower head. Brass connecting pipes between bath fixture and shower.

No. D-1203-I Same as No. D-1203 but with Integral Stops.

No. D-1203-M Same as No. D-1203 but with Metal handles and escutcheons.

No. D-1203-M-I Same as No. D-1203-M but with Integral Stops.

No. D-1203-C Same as No. D-1203 but with China nozzle.

No. D-1203-C-I Same as No. D-1203-C but with Integral Stops.

11" center to center of valves. Also furnished with $\frac{3}{4}$ " valves if so specified.

For roughing-in measurements see page 166.



"REPUBLIC" MIXING VALVE SHOWER AND BATH FIXTURE

Patent No. 1,210,105



No. D-1205

No. D-1205 Mixing Valve Shower and Bath Fixture.

Top nozzle bath fixture, built-in shower mixing valve with check valves, supplying both bath and shower, brass connecting pipes between mixing valve and control stops and to nozzle. Bent arm and 4" ball joint cast brass volume control shower head.

No. D-1205-M Same as No. D-1205 but with Metal handles, escutcheons and dial plate.

No. D-1205-C Same as No. D-1205 but with China nozzle.

Also furnished with $\frac{3}{4}$ " valves if so specified.

For roughing-in measurements see page 166.



"REPUBLIC" MIXING VALVE BATH FIXTURE

Patent No. 1,210,105



No. D-1206

No. D-1206 Mixing Valve Over-the-Rim Supply Bath Fixture.


No. D-1206-M Same as No. D-1206 but with Metal handle, escutcheon and dial plate.

No. D-1206-C Same as No. D-1206 but with china spout.

Also furnished with $\frac{3}{4}$ " valves if so specified.

For roughing-in measurements see page 167.


"REPUBLIC" EXPOSED OVER-THE-RIM BATH FAUCETS



No. 23

No. 23 $\frac{1}{2}$ " Quick Compression Bath Faucet, extra long shank with adjustable flanges for installation over-rim of tub, China handles, $3\frac{3}{8}$ " centers.

No. 26 Same as No. 23 but with China soap dish.



No. 24

No. 24 $\frac{1}{2}$ " Quick Compression Bath Faucet with integral stop shank.

For installation over-rim of tub, China handles, $3\frac{3}{8}$ " centers.

No. 27 Same as No. 24 but with China soap dish.

The above faucets can be installed on the side or end of tub, and their use is often an advantage on certain installations.




Figure 23





Figure 24



"REPUBLIC" BATH FIXTURE



No. D-1215

No. **D-1215** Over-the-Rim Bath Fixture, (less drain) $\frac{1}{2}$ " by-pass valves with removable seats, China handles and China escutcheons; 8" center to center of valves.

Will furnish 11" centers on valves on specification.

No. **D-1215-I** Same as No. D-1215 but with Integral Stops.

No. **D-1215-M** Same as No. D-1215 but with Metal handles and escutcheons.

No. **D-1215-M-I** Same as No. D-1215-M but with Integral Stops.

No. **D-1215-C** Same as No. D-1215 but with China nozzle.

No. **D-1215-C-I** Same as No. D-1215-C but with Integral Stops.

Also furnished with $\frac{3}{4}$ " valves if so specified.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 167.



"REPUBLIC" BATH FIXTURE



No. D-1216

No. **D-1216** Over-the-Rim Bath Fixture with 1½" connected drain and overflow. ½" by-pass valves with removable seats, China handles and China escutcheons, 8" center to center of valves.

Will furnish 11" centers on valves on specification.

No. **D-1216-I** Same as No. D-1216 but with Integral Stops.

No. **D-1216-M** Same as No. D-1216 but with Metal handles and escutcheons.

No. **D-1216-M-I** Same as No. D-1216-M but with Integral Stops.

No. **D-1216-C** Same as No. D-1216 but with China nozzle.

No. **D-1216-C-I** Same as No. D-1216-C but with Integral Stops.


Also furnished with ¾" valves if so specified.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 167.



"REPUBLIC" SHOWER AND BATH FIXTURE



No. D-1218

No. **D-1218** Shower and Bath Fixture, consisting of our No. D-1216 bath fixture, with our No. D-1170 shower. Brass connecting pipes between bath fixture and shower. $\frac{1}{2}$ " valves with $1\frac{1}{2}$ " connected drain and overflow. 11" centers on bath fixtures.

No. **D-1218-I** Same as No. D-1218 but with Integral Stops.

No. **D-1218-M** Same as No. D-1218 but with Metal handles and escutcheons.

No. **D-1218-M-I** Same as No. D-1218-M but with Integral Stops.

No. **D-1218-C** Same as No. D-1218 but with China nozzle.


No. **D-1218-C-I** Same as No. D-1218-C but with Integral Stops.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 168.



“REPUBLIC” SHOWER AND BATH FIXTURE



No. D-1219

No. D-1219 Shower and Bath Fixture, consisting of our No. D-1216 bath fixture, with our No. D-1170 shower. Brass connecting pipes between bath fixture and shower. $\frac{3}{4}$ " valves on bath fixtures, 2" connected drain and overflow. 11" centers on bath fixtures.

No. D-1219-I Same as No. D-1219 but with Integral Stops.

No. D-1219-M Same as No. D-1219 but with Metal handles and escutcheons.

No. D-1219-M-I Same as No. D-1219-M but with Integral Stops.

No. D-1219-C Same as No. D-1219 but with China nozzle.

No. D-1219-C-I Same as No. D-1219-C but with Integral Stops.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 168.



“REPUBLIC” BATH FIXTURE AND SHOWER

Patent No. 1,210,105



No. D-1220

No. **D-1220** Bath Fixture and Shower consisting of our No. D-1216 bath fixture and No. D-1306—1½" connected drain and overflow, with No. D-1125 mixing valve shower.

Volume control shower head. Brass connecting pipes between bath fixture and shower.

No. **D-1220-I** Same as D-1220 but with Integral Stops.

No. **D-1220-M** Same as No. D-1220 but with Metal handles, escutcheons and dial plate.

No. **D-1220-M-I** Same as No. D-1220-M but with Integral Stops.

No. **D-1220-C** Same as No. D-1220 but with China spout.

No. **D-1220-C-I** Same as No. D-1220-C but with Integral Stops.

Also furnished with ¾" valves if so specified.

11" center to center of valves.

For roughing-in measurements see page 168.



REPUBLIC "NUBIAN" BATH FIXTURE

"Permo" Plate and Handles

Chromium Plated

Patent Nos. 1,332,793—1,556,406—1,647,984



No. D-1221

No. D-1221 Nubian Bath Fixture $\frac{1}{2}$ " Integral Stop Valves. $1\frac{1}{2}$ " Trip Lever Drain. Permo Plate and Handles. Chromium Plated Exposed Metal Parts. 6" Centers.

No. D-1222 Same as No. D-1221 but with $\frac{3}{4}$ " Integral Stop Valves and 2" Trip Lever Drains.

For roughing-in measurements see page 169.



“REPUBLIC” No. D-1224 TRIP LEVER BATH FIXTURE

Patent No. 1,332,793

“Republic” No. D-1224 Trip Lever Bath Fixture is the evolution of the complicated mechanical Drain Bath Fixtures that have been commonly used. This is the most successful bath fixture that has ever been placed on the market for built-in tubs. It is sanitary; its installation is simple; no closet necessary back of tub for its maintenance.

The slip-screw connection on tee eliminates packing and wicking and it is unnecessary to solder connection as it makes up ground seat joint.

The valves have removable seats—full waterway (by-pass construction which allows the continuation for connecting to a shower above the bath fixture). Spout has large waterway, eliminating the possibility of spatter. It is of massive construction with beautiful lines and is in keeping with the appearance of the balance of the fixture.

This fixture can be installed on end wall as shown by illustration on page 112 and the valves and spout can be installed on back wall and the waste on end of tubs. This fixture can also be installed on double shell exposed end tubs by roughing-in the drain and dropping the tub over same. In this event, valves and spout are installed on back or end wall to suit the installation.


If installation is made for double shell exposed end tubs, tubs should be ordered less outside punching.

The adoption of this fixture by the leading Architects and Plumbers in all parts of the country bespeaks its superiority over other styles of combinations.



“REPUBLIC” TRIP LEVER BATH DRAIN FOR BUILT-IN TUBS


Patent No. 1,332,793



No inner overflow tube—making it absolutely sanitary. Trip lever operated drain. All removable parts can be withdrawn and replaced through the face of the valves and overflow head.

The drop valve is inserted through the overflow head and drops freely into place as shown in the opposite illustration. The entire installation can be sealed in the same manner as any piping back of wall.

This combination can be installed in one-half the time required to install any other supply and drain fixture on the market.




“REPUBLIC” DRAIN TEE SLIP SCREW CONNECTION

Slip Screw Connections eliminate packing and wicking. Brass collar is adjustable on tube. A ground joint connection is effected when nut is adjusted on tee body.



“REPUBLIC” TRIP LEVER BATH DRAIN FOR PORCELAIN TUBS

Patent No. 1,332,793




REPUBLIC 2" Trip Lever Drain for Porcelain tub, can be furnished with any of our trip lever Bath Fixtures when so specified.



"REPUBLIC" TRIP LEVER BATH FIXTURE FOR BUILT-IN TUBS

Patent No. 1,332,793



No. D-1224

This Fixture Eliminates the Necessity of the Utility Closet

No. D-1224 Trip Lever Bath Fixture, $\frac{1}{2}$ " by-pass valves, $1\frac{1}{2}$ " drain, China handles, China escutcheons, 8" center to center of valves, 11" centers on specification. Slip-screw drain tee.

No. D-1224-I Same as No. D-1224 but with Integral Stops.

No. D-1224-M Same as No. D-1224 but with Metal handles and escutcheons.

No. D-1224-M-I Same as No. D-1224-M but with Integral Stops.

No. D-1225 Same as No. D-1224 but with $\frac{3}{4}$ " valves, 2" drain and 2" tail. 2" drain tee screw connection.

No. D-1225-I Same as No. D-1225 but with Integral Stops.

No. D-1225-M Same as No. D-1225 but with Metal handles and escutcheons.

No. D-1225-M-I Same as No. D-1225-M but with Integral Stops.


For roughing-in measurements see page 170.



"REPUBLIC" TRIP LEVER BATH FIXTURE FOR BUILT-IN TUBS

Patent No. 1,332,793

China Spout, China Overflow Strainer, China Drain Strainer



No. D-1224-C

This Fixture Eliminates the Necessity of the Utility Closet

No. D-1224-C Trip Lever Bath Fixture with China spout, China overflow strainer and China drain strainer, $\frac{1}{2}$ " by-pass valves, $1\frac{1}{2}$ " drain. 8" center to center of valves.

No. D-1224-C-I Same as No. D-1224-C but with Integral Stops.

No. D-1225-C Same as No. D-1224-C but with $\frac{3}{4}$ " valves, 2" drain and 2" tail, 2" drain tee screw connection.

No. D-1225-C-I Same as No. D-1225-C but with Integral Stops.

Will furnish 11" centers on valves on specification.

Drain Tee furnished regularly with tail piece and male thread on outlet end.

Will furnish female thread on outlet end if so specified.

For roughing-in measurements see page 170.



“REPUBLIC” SHOWER AND BATH FIXTURE

Patent No. 1,332,793



No. D-1226

No. **D-1226** Shower and Bath Fixture, consisting of our No. D-1224 bath fixture with No. D-1170 shower, brass connecting pipe between bath fixture and shower, 11" centers on bath valves.

No. **D-1226-I** Same as No. D-1226 but with Integral Stops.

No. **D-1226-M** Same as No. D-1226 but with Metal handles and escutcheons.

No. **D-1226-M-I** Same as No. D-1226-M but with Integral Stops.

No. **D-1226-C** Same as No. D-1226 but with china spout, No. D-1381 China shower head with white finish arm, China overflow strainer and China drain strainer.

No. **D-1226-C-I** Same as No. D-1226-C but with Integral Stops.

Drain tee furnished regularly with tail piece and male thread on outlet end.

Will furnish female thread on outlet end if so specified.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 170.



“REPUBLIC” SHOWER AND BATH FIXTURE

Patent No. 1,332,793



No. D-1227

No. **D-1227** Shower and Bath Fixture, consisting of our No. D-1224 bath fixture with our No. D-1170 shower, brass connecting pipe between bath fixture and shower, 11" centers on bath valves, with $\frac{3}{4}$ " valves, 2" drain, and 2" tail. 2" drain tee screw connection.

No. **D-1227-I** Same as No. D-1227 but with Integral Stops.

No. **D-1227-M** Same as No. D-1227 but with Metal handles and escutcheons.

No. **D-1227-M-I** Same as No. D-1227-M but with Integral Stops.

No. **D-1227-C** Same as No. D-1227 but with China spout, No. D-1381 China shower head with white finish arm, China overflow strainer and China drain strainer.

No. **D-1227-C-I** Same as No. D-1227-C but with Integral Stops.

Drain tee furnished regularly with tail piece and male thread on outlet end.

Will furnish female thread on outlet end if so specified.

Nickel-plated—4-ball China index handles furnished if so specified.

For roughing-in measurements see page 170.



"REPUBLIC" BATH FIXTURE AND SHOWER

Patent Nos. 1,332,793—1,210,105



No. D-1228

No. **D-1228** Bath Fixture and Shower consisting of our No. D-1224 bath fixture and No. D-1125 mixing valve shower.

Volume control shower head.

Brass connecting pipes between bath fixture and shower. 11" center to center of valves.

No. **D-1228-I** Same as No. D-1228 but with Integral Stops.

No. **D-1228-M** Same as No. D-1228 but with Metal handles, escutcheons and dial plate.

No. **D-1228-M-I** Same as No. D-1228-M but with Integral Stops.

No. **D-1228-C** Same as No. D-1228 but with China spout. No. D-1381 China shower head, white finish arm, China overflow strainer and China drain strainer.

No. **D-1228-C-I** Same as No. D-1228-C but with Integral Stops.

Also furnished with $\frac{3}{4}$ " valves if so specified.

Drain tee furnished regularly with tail piece and male thread on outlet end.

Will furnish female thread on outlet end if so specified.

For roughing-in measurements see page 171.



"REPUBLIC" BATH FIXTURE, SHOWER AND SHAMPOO

Patent Nos. 1,332,793—1,210,105



No. D-1229

No. **D-1229** Bath Fixture, Shower and Shampoo, consisting of our No. D-1224 bath fixture and No. D-1129 mixing valve shower and shampoo fixture. Volume control shower head. Brass connecting pipes between bath fixture and shower and shampoo. 11" center to center of valves.

No. **D-1229-I** Same as No. D-1229 but with Integral Stops.

No. **D-1229-M** Same as No. D-1229 but with Metal handles, escutcheons and dial plate.

No. **D-1229-M-I** Same as No. D-1229-M but with Integral Stops.

No. **D-1229-C** Same as No. D-1229 but with China spout. No. D-1381 China shower head, white finish arm, China overflow strainer and China drain strainer.

No. **D-1229-C-I** Same as No. D-1229-C but with Integral Stops.

Also furnished with $\frac{3}{4}$ " valves if so specified.

Drain tee furnished regularly with tail piece and male thread on outlet end.

Will furnish female thread on outlet end if so specified.

For roughing-in measurements see page 171.



REPUBLIC

TWO WAY

SHOWER
BATH

SERVICE CONTROL

BATH AND SHOWER FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034

Bath and Shower Fixture in One Unit.

This fixture is the latest development in bath and shower fixture construction, and has a number of advantages over the ordinary bath and shower combination as now manufactured.

The desired temperature of the water can be obtained through the spout of the tub and immediately turned into the shower by use of the Republic Two-Way Service Control.

No fear of cold shock or scalding hot water when taking shower.

Simplicity of the installation together with the saving of considerable time in installing this fixture as against all other shower and bath combinations now on the market.

The beautiful lineup of the Two-Way Service Control Unit as compared with the ordinary bath and shower combination because of the elimination of a number of handles and escutcheons which are now used at various angles on the other style of fixtures.

Trip Lever Drain makes this an absolutely sanitary fixture and eliminates the necessity of the Utility Closet.



"REPUBLIC" TWO-WAY SERVICE CONTROL BATH AND SHOWER FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793



No. D-1230

No. **D-1230** Two-Way Service Control Bath and Shower Fixture, $\frac{1}{2}$ " valves with union couplings, $1\frac{1}{2}$ " trip lever drain, China handles, China escutcheons, 4" cast brass ball joint shower head with removable face, bent arm, China wall flange. 11" center to center of valves.

No. **D-1230-I** Same as No. D-1230 but with Integral Stops.

No. **D-1230-M** Same as No. D-1230 but with Metal handles and escutcheons.

No. **D-1230-M-I** Same as No. D-1230-M but with Integral Stops.

No. **D-1231** Same as No. D-1230 but with $\frac{3}{4}$ " valves and 2" trip lever drain. 2" drain tee.

No. **D-1231-I** Same as No. D-1231 but with Integral Stops.

No. **D-1231-M** Same as No. D-1231 but with Metal handles and escutcheons.

No. **D-1231-M-I** Same as No. D-1231-M but with Integral Stops.

For roughing-in measurements see page 172.



"REPUBLIC" TWO-WAY SERVICE CONTROL BATH AND SHOWER FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793



No. D-1230-C

No. **D-1230-C** Two-Way Service Control Bath and Shower Fixture, ball joint, China shower head with removable face, white finish bent shower arm with China wall flange, China spout, China overflow strainer and China drain strainer, $\frac{1}{2}$ " valves with union couplings, $1\frac{1}{2}$ " trip lever drain, China handles, China escutcheons.

No. **D-1230-C-I** Same as No. D-1230-C but with Integral Stops.

No. **D-1231-C** Same as No. D-1230-C but with $\frac{3}{4}$ " valves and 2" trip lever drain. 2" drain tee screw connection.

No. **D-1231-C-I** Same as No. D-1231-C but with Integral Stops.

Drain tee furnished regularly with tail piece and male thread on outlet end.

Will furnish female thread on outlet end if so specified.

11" center to center of valves.

For roughing-in measurements see page 172.



"REPUBLIC" TWO-WAY SERVICE CONTROL BATH AND NEEDLE SHOWER FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793



No. D-1232

No. D-1232 Two-Way Service Control Bath and Needle Shower Fixture, $\frac{1}{2}$ " valves with union couplings, $1\frac{1}{2}$ " trip lever drain, China handles, China escutcheons, 4 cast brass ball joint needle sprays with removable faces.

No. D-1232-I Same as No. D-1232 but with Integral Stops.

No. D-1232-M Same as No. D-1232 but with Metal handles and escutcheons.

No. D-1232-M-I Same as No. D-1232-M but with Integral Stops.

No. D-1232-C Same as No. D-1232 but with China spout, China overflow strainer and China drain strainer.

No. D-1232-C-I Same as No. D-1232-C but with Integral Stops.

Also furnished with $\frac{3}{4}$ " valves if so specified.

For roughing-in measurements see page 172.



"REPUBLIC" TWO-WAY SERVICE CONTROL BATH AND NEEDLE SHOWER FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793



No. D-1234

No. D-1234 Two-Way Service Control Bath and Needle Shower Fixture, $\frac{1}{2}$ " valves with union couplings, $1\frac{1}{2}$ " trip lever drain, China handles, China escutcheons, 6 cast brass ball joint needle sprays with removable faces.

No. D-1234-I Same as No. D-1234 but with Integral Stops.

No. D-1234-M Same as No. D-1234 but with Metal handles and escutcheons.

No. D-1234-M-I Same as No. D-1234-M but with Integral Stops.

No. D-1234-C Same as No. D-1234 but with China spout, China overflow strainer and China drain strainer.

No. D-1234-C-I Same as No. D-1234-C but with Integral Stops.

Also furnished with $\frac{3}{4}$ " valves if so specified. For roughing-in measurements see page 173



“REPUBLIC” NUBIAN BATH AND SHOWER FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793—1,647,984—1,556,406



No. D-1235

No. D-1235 “Nubian” Bath and Shower Fixture, with Permo Plate and Handles, Chromium Plated Exposed Metal Parts.

$\frac{1}{2}$ " Integral Supply Valves.

$1\frac{1}{2}$ " Trip Lever Drain.

4" Cast Brass Ball Joint Shower Head with Removable Face, Bent Arm with Wall Flange.

No. D-1236 Same as No. D-1235 but with $\frac{3}{4}$ " Valves and 2" Trip Lever Drain.

For roughing-in measurements see page 173.



"REPUBLIC" TWO-WAY SERVICE CONTROL BATH AND SHAMPOO FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793



No. D-1237

No. **D-1237** Two-Way Service Control Bath and Shampoo Fixture. $\frac{1}{2}$ " valves with union couplings, $1\frac{1}{2}$ " trip lever drain, China handles, China escutcheons, shampoo outlet, hose, spray and wall hook.

No. **D-1237-I** Same as No. D-1237 but with Integral Stops.

No. **D-1237-M** Same as No. D-1237 but with Metal handles and escutcheons.

No. **D-1237-M-I** Same as No. D-1237-M but with Integral Stops.

Also furnished with $\frac{3}{4}$ " valves if so specified.



"REPUBLIC" TWO-WAY SERVICE CONTROL BATH AND SHOWER FIXTURE

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793



No. D-1240

No. D-1240 Two-Way Service Control Bath and Shower Fixture, $\frac{1}{2}$ " Nickel-plated body, valves with union couplings, flat China escutcheons adjusting on body, China handles, 4" cast brass ball joint shower head with removable face, bent arm, China wall flange, $1\frac{1}{2}$ " triple lever drain.

No. D-1240-M Same as No. D-1240 but with Metal handles and escutcheons.

No. D-1240-C Same as No. D-1240 but with China shower head, white arm, China spout, China overflow strainer, and China drain strainer.

Also furnished with $\frac{3}{4}$ " valves if so specified.

Drain tee furnished regularly with tail piece and male thread on outlet end.

Will furnish female thread on outlet end if so specified.

11" center to center of valves.

For roughing-in measurements see page 172.



"REPUBLIC" SHOWER AND SHAMPOO TWO-WAY SERVICE CONTROL

Patent Nos. 1,187,477—1,579,503—17,034



No. D-1246

No. D-1246 Two-Way Service Control Shower and Shampoo, $\frac{1}{2}$ " supply Nickel-plated ball joint shower head with removable face, bent arm with China wall flange. Shampoo outlet, rubber hose and spray.

No. D-1246-I Same as No. D-1246 but with Integral Stops.

No. D-1246-M Same as No. D-1246 but with Metal handles and escutcheons.

No. D-1246-M-I Same as No. D-1246-M but with Integral Stops.


No. D-1246-C Same as No. D-1246 but with ball joint China shower head, white finish arm with China wall flange.

No. D-1246-C-I Same as No. D-1246-C but with Integral Stops.



“REPUBLIC” SHOWER TWO-WAY SERVICE CONTROL

Patent Nos. 1,187,477—1,579,503—17,034



No. D-1247

No. **D-1247** Two-Way Service Control Shower with Test Outlet.

No. **D-1247-I** Same as No. D-1247 but with Integral Stops.

No. **D-1247-M** Same as No. D-1247 but with Metal handles and escutcheons.


No. **D-1247-M-I** Same as No. D-1247-M but with Integral Stops.

The desired temperature of the water can be obtained through the test outlet and immediately turned into the shower by use of the Republic Two-Way Service Control.



“REPUBLIC” BATH FIXTURE

Patent No. 1,416,599



No. D-1250

No. **D-1250** Top Nozzle Supply and Drain Fixture, $\frac{1}{2}$ " supply, $1\frac{1}{2}$ " drain, China handles, China escutcheons, by-pass valves, 11" center to center of valves. Slip-screw drain tee.

No. **D-1250-I** Same as No. D-1250 but with Integral Stops.

No. **D-1250-M** Same as No. D-1250 but with Metal handles and escutcheons.

No. **D-1250-M-I** Same as No. D-1250-M but with Integral Stops.

No. **D-1250-C** Same as No. D-1250 but with China nozzle.

No. **D-1250-C-I** Same as No. D-1250-C but with Integral Stops.

Nickel-plated—4-ball China index handles furnished if so specified.



"REPUBLIC" BATH FIXTURE

Patent No. 1,416,599



No. D-1251

No. **D-1251** Top Nozzle Supply and Drain Fixture. $\frac{1}{2}$ " supply, $1\frac{1}{2}$ " drain, with No. D-1310 turn plug drain, China handles, China escutcheons, by-pass valves, 11" center to center of valves. Slip-screw drain tee.

No. **D-1251-I** Same as No. D-1251 but with Integral Stops.

No. **D-1251-M** Same as No. D-1251 but with Metal handles and escutcheon.

No. **D-1251-M-I** Same as No. D-1251-M but with Integral Stops.

No. **D-1251-C** Same as No. D-1251 but with China nozzle.


No. **D-1251-C-I** Same as No. D-1251-C but with Integral Stops.

Nickel-plated—4-ball China index handles furnished if so specified.



"REPUBLIC" TWIN BATH FIXTURES

Patent No. 1,332,793



No. D-1253

No. D-1253 is a combination of two of our No. D-1224 fixtures and arranged to fit into a 3" partition. This arrangement is especially desirable for apartment house work where two baths are adjoining and space is limited.

For roughing-in measurements see page 175.



"REPUBLIC" TWIN TWO-WAY SERVICE CONTROL BATH AND SHOWER FIXTURES

Patent Nos. 1,187,477—1,579,503—17,034—1,332,793




No. D-1254

No. D-1254 is a combination of two of our No. D-1230 fixtures and arranged to fit into a 3" partition. This arrangement is especially desirable for apartment house work where two baths are adjoining and space is limited.

For roughing-in measurements see page 175.



"REPUBLIC" EXPOSED BATH FIXTURE



No. D-1260

No. D-1260 Exposed Top Nozzle Bath Fixture for roll-rim tub on legs, China handles, China knob on drain. $\frac{1}{2}$ " supplies, 2" standing drain, $1\frac{1}{2}$ " tail.

No. D-1260-C Exposed Top Nozzle Bath Fixture for roll-rim tub on legs or base, China handles, China knob on drain, China nozzle. $\frac{1}{2}$ " supplies, 2" standing drain, $1\frac{1}{2}$ " tail.

No. D-1260-A Same as No. D-1260 but with $\frac{3}{4}$ " supplies.

No. D-1261 Same as No. D-1260 but with China bell.


No. D-1261-A Same as No. D-1260 but with China bell and $\frac{3}{4}$ " supplies.

Can be furnished for Porcelain tubs—bottom outlet.

11" center to center on supplies.



“REPUBLIC” EXPOSED BATH FIXTURE



No. D-1262

No. **D-1262** Exposed Top Nozzle Bath Fixture for double shell, legless or low pattern tub where the drain arm is under the floor.

China handles, China knob on drain, $\frac{1}{2}$ " supplies, 2" standing drain, $1\frac{1}{2}$ " tail.

No. **D-1262-C** Exposed Top Nozzle Bath Fixture for double shell, legless or low pattern tub where the drain arm is under the floor, China handles, China knob on drain, China nozzle, $\frac{1}{2}$ " supplies, 2" standing drain, $1\frac{1}{2}$ " tail.

No. **D-1262-A** Same as No. D-1262 but with $\frac{3}{4}$ " supplies.

No. **D-1263** Same as No. D-1262 but with China bell.

No. **D-1263-A** Same as No. D-1262 but with China bell and $\frac{3}{4}$ " supplies.

Can be furnished for Porcelain tubs—bottom outlet.

For roughing-in measurements see page 174.




"REPUBLIC" BATH DRAIN



No. D-1300

No. D-1300 Bath Drain for roll-rim tub on legs, China knob, $1\frac{1}{2}$ " tail.



No. D-1301


No. D-1301 Bath Drain for double shell, legless or low pattern tub, where drain arm is under floor, China knob, $1\frac{1}{2}$ " tail.

No. D-1302 Same as No. D-1301 but with long drain arm and long brace for installation on side of tub.



“REPUBLIC” BY-TRANSIT BATH DRAIN

For Built-in Bath Installations



No. D-1305

No. D-1305 2" By-Transit Bath Drain for built-in tubs, 1½" tail, China handle, China escutcheon.




“REPUBLIC” CONNECTED DRAIN AND OVERFLOW

Turn Plug Drain



No. D-1306



No. D-1310

No. D-1306 $1\frac{1}{2}$ " Connected Drain and Overflow for built-in tubs, $1\frac{1}{2}$ " tail, $1\frac{1}{2}$ " male thread on outlet end. Slip screw drain tee.

No. D-1307 Same as No. D-1306 but with China overflow strainer.

No. D-1308 $1\frac{1}{2}$ " Connected Drain and Overflow for legless or low pattern tubs, where drain arm is under floor.

No. D-1309 $1\frac{1}{2}$ ", same as D-1308 but with China Overflow Strainer.


No. D-1310 $1\frac{1}{2}$ " Turn Plug Drain.

Will furnish $1\frac{1}{2}$ " female thread on outlet end if so specified.

HORIZONTAL OUTLET



OUTLET UNDER TUB



Furnished with Connected Drain and Overflows if so specified.

No. D-1308 can also be furnished for Porcelain Tubs upon specification.

Furnished with Connected Drain and Overflows if so specified.




“REPUBLIC” CONNECTED DRAIN AND OVERFLOW



No. D-1311

No. D-1311 2" Connected Drain and Overflow for built-in tubs, 2" tail, 2" male thread on outlet end, tee body threaded connection for drain arm and overflow tube. Heavy bead chain, extra large rubber stopper. Slip screw connection for adjustment at overflow head.



No. D-1312


No. D-1312 2" Connected Drain and Overflow for Porcelain Tub. 2" tail, 2" male thread on outlet end, tee body threaded connection for drain arm and overflow tube. Heavy bead chain, extra large rubber stopper. Slip screw connection for adjustment at overflow head.

Will furnish 2" female thread on outlet end if so specified.



"REPUBLIC" CONNECTED DRAIN AND OVERFLOW

For Built-in Bath Installations



No. D-1316

No. D-1316 1½" Nickel-plated Exposed Connected Drain and Overflow for double shell exposed end tubs.

No. D-1317 Same as No D-1316, but with China overflow strainer.



No. D-1318

No. D-1318 Drain Elbow to connect on drain tee and used where there are shallow floors. 1½" iron pipe female, 1½" tubing, fine thread female.




“REPUBLIC” SPRAY SPOUT



No. D-1330

- No. D-1330 Spray Spout with Hose and Spray.
No. D-1331 Same as No. D-1330 but with China Hose Holder.
No. D-1332 Same as No. D-1330 but with No. D-1405 Nickel-plated wall hook.



No. D-1405 Nickel-plated Wall Hook



China Hose Holder



“REPUBLIC” BATH FIXTURE SPOUTS




No. D-1333
China Bell

No. D-1333 On any of our exposed or concealed bath fixtures having Nickel-plated nozzle through the tub, we can furnish at a slight increase in price, our china bell as shown above.




No. D-1334

No. D-1334 Nickel-plated Nozzle for top supply bath fixtures.




No. D-1335

No. D-1335 Nickel-plated Over-the-Rim Supply Spout $5\frac{3}{8}$ " long, $\frac{1}{2}$ " or $\frac{3}{4}$ " female flange.



No. D-1336

No. D-1336 Nickel-plated Over-the-Rim Supply Spout with adjustable flat China escutcheon. $\frac{3}{4}$ " male, $\frac{1}{2}$ " female.



No. D-1337

No. D-1337 Over-the-Rim Spout $6\frac{1}{2}$ " long for Imperator tubs.




“REPUBLIC” BATH FIXTURE NOZZLE

TOP SUPPLY IN TUB



No. D-1338

No. D-1338 Nickel-plated Nozzle with China soap dish.



No. D-1339

No. D-1339 China Nozzle.




“REPUBLIC” OVER-THE-RIM BATH FIXTURE SPOUTS



No. D-1340

No. D-1340 Nickel-plated Spout with China soap dish



No. D-1341

No. D-1341 Oval Outlet Spout. $\frac{3}{4}$ "—1"—1 $\frac{1}{4}$ ".


No Spatter. No noise in filling tub.

A large massive spout that is a real innovation in Over-the-Rim bath fixture installations.
Directs water to bottom end of tub.




“REPUBLIC” BATH FIXTURE SPOUTS

OVER-THE-RIM SUPPLY




No. D-1342

No. D-1342 China Spout with Soap Dish



No. D-1343

No. D-1343 China Spout



No. D-1344

No. D-1344 N. P. Hose Nozzle
for Metal Spouts



No. D-1345

No. D-1345 Hose Nozzle for
China Spouts



"REPUBLIC" CAST BRASS SHOWER HEADS

With Removable Face $\frac{1}{2}$ " Female



No. D-1360

- No. D-1360 4" Fin. N. P. Shower Heads.
- No. D-1361 4" Rgh. N. P. Shower Heads.
- No. D-1362 4" Rgh. Brass Shower Heads.
- No. D-1363 5" Fin. N. P. Shower Heads.
- No. D-1364 5" Rgh. N. P. Shower Heads.
- No. D-1365 5" Rgh. Brass Shower Heads.
- No. D-1366 6" N. P. Brass Shower Heads.



No. D-1368


- No. D-1368 4" Fin. N. P. Integral Ball Joint Shower Head.
- No. D-1369 5" Fin. N. P. Integral Ball Joint Shower Head.
- No. D-1370 6" N. P. Integral Ball Joint Shower Head.



No. D-1371

- No. D-1371 16" x 16" Shoulder Shower Ring, $\frac{1}{2}$ " female.

ASSOCIATION SHOWER HEAD



No. D-1367

- No. D-1367 $\frac{1}{2}$ " N.P. Association Shower Head with wall flange connection. Removable Strainer.

HOSPITAL SHOWER HEAD



No. D-1372

- No. D-1372 N. P. Hospital Shower Head with wall flange. Removable Strainer.



“REPUBLIC” ROSE SPRAYS AND SHOWER HEADS

With Removable Face $\frac{1}{2}$ " Female



No. D-1373

No. D-1373 $3\frac{3}{4}$ " Rose Spray, $\frac{1}{2}$ " female.



No. D-1374

No. D-1374 $3\frac{3}{4}$ " Ball Joint Rose Spray,
 $\frac{1}{2}$ " Female.



No. D-1375

No. D-1375 2" Nickel-plated cast brass Rose Spray with removable face $\frac{3}{8}$ " and $\frac{1}{2}$ " size.

TUBULAR SHOWER HEADS

No. D-1376 7" Tubular Shower Head.

No. D-1377 9" Tubular Shower Head.

No. D-1378 $10\frac{1}{2}$ " Tubular Shower Head.



“REPUBLIC” CHINA SHOWER HEADS

With Removable Face $\frac{1}{2}$ " Female



No. D-1380



No. D-1381

No. D-1380 $4\frac{1}{2}$ " China Shower Head with removable face.

No. D-1381 $4\frac{1}{2}$ " Ball Joint China Shower Head with removable face.

All holes are tooled out after firing.
All holes cast at proper angle to give perfect spray.




"REPUBLIC" SHOWER ACCESSORIES



No. D-1385

No. D-1385 1/2" Nickel-plated Ball Joint.



No. D-1386

No. D-1386 1/2" Volume Control for Shower Heads.



No. D-1387

No. D-1387 1/2" Offset Shower Arm with wall flange 15" long, 1/2" female.

No. D-1388 Same as No. D-1387, but white finish instead of Nickel plate.



No. D-1389

No. D-1389 1/2" Bent Shower Arm with wall flange 9" long, 1/2" male.


No. D-1390 Same as No. D-1389 but white finish instead of Nickel plate.



No. D-1391

No. D-1391 1/2" Straight Shower Arm with wall flange 15" long, 1/2" female.


No. D-1392 Same as No. D-1391, but white finish instead of Nickel plate.



No. D-1393

No. D-1393 1/2" Bent Shower Arm with wall flange, 20° bend used on showers where ball joint is omitted.

No. D-1394 Same as No. D-1393, but white finish instead of Nickel plate.



No. D-1395

No. D-1395 Shower Arm with volume control.

No. D-1396 Same as No. D-1395 but white finish instead of Nickel plate.



"REPUBLIC" SHOWER ACCESSORIES



Shower Curtain—8 oz. Duck

Stock Sizes for Stalls

3' wide 6' long
4' wide 6' long
4½' wide 6' long

Stock Sizes for Corner Tubs

9'6" wide 6' long
9' wide 6' long
Two { 6' wide 6' long
curtains { 3' wide 6' long
8'6" wide 6' long
8' wide 6' long
7'6" wide 6' long

Stock Sizes for Recess Tubs

6'6" wide 6' long
6' wide 6' long
5'6" wide 6' long

Any special size curtain can be furnished



No. D-1401 Nickel-plated
Brass Curtain Snaps.



No. D-1403 Curtain Hook
for Split Ring Curtain Bars.



No. D-1405 Nickel-plated
Wall Hook for Shampoo
Spray.



No. D-1407 Nickel-plated
Curtain Hold Back Hook
and Chain.



“REPUBLIC” SHOWER CURTAIN BARS

CURTAIN BARS 1" O. D.



- No. D-1410 Straight Curtain Bar for 6' recess tub.
- No. D-1411 Straight Curtain Bar for 6' recess tub with curtain and snaps.
- No. D-1412 Straight Curtain Bar for 5½' recess tub.
- No. D-1413 Straight Curtain Bar for 5½' recess tub with curtain and snaps.
- No. D-1414 Straight Curtain Bar for 5' recess tub.
- No. D-1415 Straight Curtain Bar for 5' recess tub with curtain and snaps.
- No. D-1416 48" Straight Curtain Bar for Stall.
- No. D-1417 48" Straight Curtain Bar for stall with curtain and snaps.
- No. D-1418 42" Straight Curtain Bar for stall.
- No. D-1419 42" Straight Curtain Bar for stall with curtain and snaps.
- No. D-1420 38" Straight Curtain Bar for stall.
- No. D-1421 38" Straight Curtain Bar for stall with curtain and snaps.
- No. D-1422 32" Straight Curtain Bar for stall.
- No. D-1423 32" Straight Curtain Bar for stall with curtain and snaps.



- No. D-1424 6' x 28" Cor. Curtain Bar.
- No. D-1425 6' x 28" Cor. Curtain Bar with curtain, snaps and holdback.
- No. D-1426 5½' x 28" Cor. Curtain Bar.
- No. D-1427 5½' x 28" Cor. Curtain Bar with curtain, snaps and holdback.
- No. D-1428 5' x 28" Cor. Curtain Bar.
- No. D-1429 5' x 28" Cor. Curtain Bar with curtain, snaps and holdback.



- No. D-1430 28" x 6' x 28" U or Pier Bar.
- No. D-1431 28" x 6' x 28" U or Pier Bar with 2 curtains, snaps and holdback.
- No. D-1432 28" x 5½' x 28" U or Pier Bar.
- No. D-1433 28" x 5½' x 28" U or Pier Bar with 2 curtains, snaps and holdback.
- No. D-1434 28" x 5' x 28" U or Pier Bar.
- No. D-1435 28" x 5' x 28" U or Pier Bar with 2 curtains, snaps and holdback.

These Curtain Bars can also be furnished with “Ambassador” or “Truart” wall flanges, when so specified.




“REPUBLIC” SPLIT SHOWER CURTAIN BARS



White Finish or Chromium Plated Split Curtain Bars

- | | | |
|------------|-----|---|
| No. D-1450 | 6' | Straight Curtain Bars for recess tubs with ball bearing pins. |
| No. D-1451 | 6' | Straight Curtain Bars for recess tubs with ball bearing pins and curtain. |
| No. D-1452 | 5½' | Straight Curtain Bars for recess tubs with ball bearing pins. |
| No. D-1453 | 5½' | Straight Curtain Bars for recess tubs with ball bearing pins and curtain. |
| No. D-1454 | 5' | Straight Curtain Bars for recess tubs with ball bearing pins. |
| No. D-1455 | 5' | Straight Curtain Bars for recess tubs with ball bearing pins and curtain. |
| No. D-1456 | 48" | Straight Curtain Bars for recess tubs with ball bearing pins. |
| No. D-1457 | 48" | Straight Curtain Bars for recess tubs with ball bearing pins and curtain. |
| No. D-1458 | 42" | Straight Curtain Bars for recess tubs with ball bearing pins. |
| No. D-1459 | 42" | Straight Curtain Bars for recess tubs with ball bearing pins and curtain. |
| No. D-1460 | 38" | Straight Curtain Bars for recess tubs with ball bearing pins. |
| No. D-1461 | 38" | Straight Curtain Bars for recess tubs with ball bearing pins and curtain. |
| No. D-1462 | 32" | Straight Curtain Bars for recess tubs with ball bearing pins. |
| No. D-1463 | 32" | Straight Curtain Bars for recess tubs with ball bearing pins and curtain. |



White Finish or Chromium Plated Split Corner Curtain Bars

- | | | |
|------------|-----|--|
| No. D-1464 | 6' | Corner Curtain Bar with ball bearing pins. |
| No. D-1465 | 6' | Corner Curtain Bar with ball bearing pins, curtain and hold-back hook and chain. |
| No. D-1466 | 5½' | Corner Curtain Bar with ball bearing pins. |
| No. D-1467 | 5½' | Corner Curtain Bar with ball bearing pins, curtain and hold-back hook and chain. |
| No. D-1468 | 5' | Corner Curtain Bar with ball bearing pins. |
| No. D-1469 | 5' | Corner Curtain Bar with ball bearing pins, curtain and hold-back hook and chain. |

These Curtain Bars can also be furnished with “Ambassador” or “Truart” wall flanges, when so specified




"REPUBLIC" SHOWER RINGS



No. D-1480

No. D-1480 24" x 24" Curtain Ring with wall flange


No. D-1481 24" x 24" Curtain Ring with wall flange tapped for shower arm. For built-in showers.



No. D-1482

No. D-1482 24" x 30" Oval Curtain Ring with wall flange.

No. D-1483 24" x 30" Oval Curtain Ring with wall flange tapped for shower arm. For built-in showers.



No. D-1484

No. D-1484 24" x 42" Rectangular Curtain Support, wall flange, support to ceiling.

No. D-1485 24" x 42" Rectangular Curtain Support, wall flange, side outlet for shower arm, support to ceiling. For built-in showers.



"REPUBLIC" HANDLES FOR LAVATORY BATH AND SHOWER FIXTURES



No. 8

- No. 1 2 $\frac{3}{4}$ " China 4-Arm Handle with Spud
 No. 3 3" China 4-Arm Handle with Spud
 No. 5 3 $\frac{3}{4}$ " China 4-Arm Handle with Spud
 No. 7 3 $\frac{1}{2}$ " China 4-Arm Handle with Spud

- No. 8 Small N. P. 4-Ball China Index Handle
 No. 9 Large N. P. 4-Ball China Index Handle

4-Arm China Handles Can Be Furnished with the Following Printing:

Hot
Cold
Waste
Shower
Shampoo

Spray
Needle
Test
Bath
City


Tub
Hot Salt
Cold Salt
Hot Fresh
Cold Fresh

China Index Buttons Can Be Furnished with the Following Printing:


Hot
Cold
Waste
City
Shower

Spray
Shampoo
Needle
Drain
Hot Salt

Cold Salt
Hot Fresh
Cold Fresh
Ice Water



No. 21 N. P. 5-Ball China Index Handle



No. 12 3" 4-Arm Metal Handle indexed H. and C.

No. 16 3 $\frac{1}{2}$ " Four Arm Metal Handle, indexed H. and C.



"REPUBLIC" HANDLES FOR BATH AND SHOWER FIXTURES



No. 11
China Handle
for Trip Lever
Fixtures



No. 13
N. P. Handle
for Trip Lever
Fixtures




No. 15
China Handle, two-way service
control fixtures.



No. 17
China Handle for Mixing Valves



No. 29
"Permo" Handle



No. 33
Elbow-acting Handle

"REPUBLIC" COLOR CHART

for China Trimmings

15 Standard Colors and Black



Nile Green—A-66



Sea Green—A-29



Spring Green—A-54



West Point Gray—B-5




Horizon Blue—B-2



French Blue—B-56



Cocoa Brown—E-7



Tan—E-29



Autumn Brown—E-32



Black—F-35



Old Ivory—I-36



Dark Ivory—I-52



Canary Yellow—I-57



Orchid Pink—P-7



Lavender—L-28



Steel Gray—A-9

ALWAYS REFER TO COLOR CHART AND SPECIFY COLOR AND NUMBER

Many other colors can be furnished other than standard colors listed, but these will be considerably higher in price on account of special work necessary to produce them.



“REPUBLIC” ESCUTCHEONS FOR BATH AND SHOWER AND LAVATORY FIXTURES



No. D-20

China Escutcheon
For combination Lavatory
Fixtures



No. D-22

N. P. Brass Escutcheon
For Combination Lavatory
Fixtures




No. D-24

China Escutcheon
For Built-in Bath and
Shower Fixtures



No. D-26

Flat China Escutcheon
For Built-in Bath and
Shower Fixtures



No. D-28

N. P. Escutcheon
For Built-in Bath and
Shower Fixtures



No. D-30

China Escutcheon
For Two-Way Service
Control Fixture Printed
Tub and Shower



No. D-32

3" China Escutcheon
For Built-in Bath and
Shower Fixtures



No. D-34

2 1/2" China Escutcheon
For Built-in Bath and
Shower Fixtures



No. D-10


3/4" China Escutcheon
For Lavatory Drain

"REPUBLIC" TRIMMINGS FOR BATH AND SHOWER FIXTURES



No. D-40

No. D-40 China Wall Flange for shower arm.



No. D-42

No. D-42 Nickel-plated Wall Flange for shower arm.



REPUBLIC
No. D-46

No. D-46 China overflow strainer for trip lever bath drain



No. D-43

No. D-43 China Strainer for bath drain.


No. D-44 China Overflow Strainer for connected drain and overflow.




No. D-57 China Dial Plate for mixing valve.




“Republic” China Escutcheons to Meet Necessary Adjustment on any Wall Condition



No. 24



No. 26



No. 27

CHINA ESCUTCHEONS FOR BUILT-IN BATH AND SHOWER FIXTURES

Fig. No.	Ht.
24	1 3/4"
24-A	7/8"
24-B	1 1/4"
24-C	1 1/2"
24-D	2 1/8"
24-E	2 1/2"
24-F	3"

No. 24 China Escutcheon regularly furnished on Built-in Bath and Shower Fixtures.

Other sizes furnished on specification.

CHINA ESCUTCHEONS FOR BUILT-IN BATH AND SHOWER FIXTURES

Fig. No.	Ht.
26	1 7/8"
26-A	1 1/2"
26-B	2 1/4"

No. 26 China Escutcheon regularly furnished on Built-in Bath and Shower Fixtures with No. 1110 Integral Stop Valves.

Other sizes furnished on specification.


CHINA ESCUTCHEONS

Fig. No.	Ht.
27	2 1/2"
27-A	3 1/8"
27-B	3 1/2"

Above China Escutcheons furnished on specification.




ROUGHING-IN MEASUREMENTS



No. D-1121-K

Roughing-in measurements for
Republic Mixing Valve
with supplies to ceiling

ROUGHING-IN MEASUREMENTS




No. 1127

Roughing-in Measurements for
Republic Built-in Mixing Valve
Shampoo Fixture


No. 1125-1126

Roughing-in Measurements for
Republic Built-in Mixing Valve
Shower

ROUGHING-IN MEASUREMENTS




No. 1134
Roughing-in Measurements for
Republic Shower and Needle Bath
Fixture




No. 1132
Roughing-in Measurements for
Republic Shower and Needle Bath
Fixture

ROUGHING-IN MEASUREMENTS




No. 1173-1174
Roughing-in Measurements for
Republic Built-in 4 Valve Shower
and Shampoo Fixture




No. 1170-1171-1172
Roughing-in Measurements for
Republic Built-in 2 Valve Shower

ROUGHING-IN MEASUREMENTS




No. D-1147
Roughing-in Measurements for
Republic 2 Valve Shower with
supplies to ceiling




No. D-1151-K
Roughing-in Measurements for
Republic 2 Valve Shower with
supplies to ceiling

ROUGHING-IN MEASUREMENTS




No. D-1176
Roughing-in Measurements for
Republic Ambassador Shower




No. D-1175
Roughing-in Measurements for
Republic Nubian Shower

ROUGHING-IN MEASUREMENTS



No. 1205


Roughing-in Measurements for
Republic Mixing Valve Shower and Bath Fixture




No. 1203

Roughing-in Measurements for
Republic Bath Fixture and
Mixing Valve Shower

ROUGHING-IN MEASUREMENTS




No. 1215
Roughing-in Measurements
for
Republic Over-the-Rim Bath Fixture




No. 1206
Roughing-in Measurements
for
Republic Mixing Valve
Bath Fixture

ROUGHING-IN MEASUREMENTS




ROUGHING-IN MEASUREMENTS



No. D-1223

Roughing-in Measurements for
Republic "Ambassador" Trip Lever Bath Fixture
for Built-in Tubs

When 2" Drain is used the distance from center of drain tee to center of drain elbow is 7 3/8"




No. D-1221

Roughing-in Measurements for
Republic "Nubian" Trip Lever Bath Fixture
for Built-in Tubs

When 2" Drain is used the distance from center of drain tee to center of drain elbow is 7 3/8"

ROUGHING-IN MEASUREMENTS




No. 1229

Roughing-in Measurements for
Republic Bath Fixture and Mixing
Valve Shower and Shampoo

No. 1228

Roughing-in Measurements for
Republic Bath Fixture and Mixing Valve
Shower

ROUGHING-IN MEASUREMENTS



No. 1230-1240


Roughing-in Measurements for
Republic 2-Way Service Control
Bath and Shower Fixture

No. 1232

Roughing-in Measurements for Republic 2-Way
Service Control Bath Fixture and Needle Shower

When 2" Drain is used, the distance from center of drain tee to center of drain elbow is 7 3/8".

ROUGHING-IN MEASUREMENTS



No. 1234


Roughing-in Measurements for Republic 2-Way Service Control Bath Fixture and Needle Shower

No. 1235

Roughing-in Measurements for "Republic" Nubian 2-Way Service Shower and Bath Fixture

When 2" Drain is used the distance from center of drain tee to center of drain elbow is 7 3/8".


ROUGHING-IN MEASUREMENTS



No. 1242

Roughing-in Measurements for
Republic Ambassador 2-Way Service Control
Bath and Shower Fixture



When 2" drain is used, the distance from center of drain tee to center of drain elbow is $7\frac{3}{8}"$



No. 1262

Roughing-in Measurements for
Republic Exposed Top Nozzle Bath
Fixture with Drain Arm under Floor

PARTS AND NUMBERS OF NO. D-1200 FIXTURE




Part No.	
3	Rubber Washer
10	Bevel Collar
11	Nuts
14	Waste Shoe
16	Rubber Washer
17	Cotter Pin
18	Screw
24	Screw
1833	Locknut
1834	Lock Washer
34	9" Waste Arm
35	Waste Strainer Holder
36	Strainer
37	Strainer Screw
38	Waste Tee
39	Waste Barrel
40	Waste Tube Seat
41	Overflow Tube
42	Spider
43	Disc
44	Loop

Part No.	
45	Tailpiece
46	Nipple
48	Yoke
49	Adj. Clamp
50	Yoke Ell
51	Yoke Ell Washer
52	Yoke Ell Nut
53	Waste Rod
54	Washer
55	Spout
58	Valve Body
59	Plate
60	Valve Yoke
61	Stuffing Box
62	Stuffing Box Nut
63	Nipple
65	Esc. Nipple
66	Escutcheon
67	Stem
68	S. B. Packing
69	Washer

Part No.	
70	Handle Waste
71	Handle Hot
72	Handle Cold
90	Swivel Disc
91	Seat
92	Waste Stem
93	Esc. Holder
94	Guide
96	Spud
120	Set Screw
121	Seat Washer
122	Seat Screw
123	36" Waste Arm
124	Flange
145	Trip Screw
150	Trip
164	Locknut
181	Offset Supply
198	1/2" Plug
300	Valve Body
350	3/4" Plug

PARTS AND NUMBERS OF NO. D-1224 FIXTURE



Part No.

- 3 Rubber Washer
- 4 Rubber Washer
- 7 3" Brass tube
- 9 4" Brass tube
- 10 Adjusting Collar
- 11 Locknut
- 14 Waste Ell
- 16 Washer
- 27 Spring
- 35 Strainer holder
- 36 Strainer
- 37 Strainer Screw
- 47 11½" Brass Tube
- 58 Valve Body
- 61 Stuffing Box
- 62 Stuffing Nut
- 63 Nipple
- 65 Holder


Part No.

- 66 Escutcheon
- 67 Stem
- 68 Packing
- 69 Washer
- 71 Handle Hot
- 72 Handle Cold
- 76 Locknut
- 90 Disc
- 91 Seat
- 96 Handle Spud
- 114 Spud
- 115 China Handle
- 120 Screw
- 121 Seat Washer
- 122 Washer Screw
- 450 Spout
- 140 Waste Tee

Part No.


- 141 Drop Valve
- 142 Overflow Head
- 143 Overflow Plate
- 1760 Plate Screw
- 147 Packing Nut
- 149 Lift Rod
- 198 ½" Plug
- 327 Link
- 329 Lock Washer
- 330 Cotter Pin
- 345 Trip Lever
- 370 Lock Washer
- 87 Valve Yoke
- 355 ¾" x 3" Nipple
- 1053 ¾" Elbow
- 1761 Lug Screw
- 1759 Lock Plate

PARTS AND NUMBERS OF NO. D-1230 FIXTURE





Part No.

- 3 Overflow Plate Washer
- 7 3" x 1 1/2" Tailpiece
- 9 Waste Arm
- 10 Adjusting Collar
- 11 Locknut
- 14 Waste Ell
- 16 Washer
- 27 Spring
- 35 Strainer Holder
- 36 Strainer
- 37 Strainer Screw
- 47 1 1/2" Tube
- 61A Threaded Sleeve
- 62 Threaded Nut
- 63 Esc. Holder Nipple
- 65 Esc. Holder
- 66 Escutcheon
- 67A Stem



Part No.


- 68 Packing
- 69 Washer
- 71 Handle Hot
- 72 Handle Cold
- 76 Locknut
- 91 Raised Seat
- 96 Spud
- 90 Swivel Disc
- 114 Spud
- 115 Waste Trip Sleeve
- 120 Spud Screw
- 121 Seat Washer
- 122 Seat Screw
- 133 China Wall Flange
- 140 Waste Tee
- 141 Drop Valve
- 142 Overflow Head
- 143 Overflow Plate
- 1760 Plate Screw
- 147 Packing Nut
- 149 Lift Rod (Short)
- 151 4" Shower Face
- 154 Shower Washer
- 165 Lift Rod (Long)
- 360 12" Bent Arm
- 182 Union Cplg. Nipple
- 183 Union Cplg. Nut
- 199 Shower Head
- 200 Ball Joint
- 250 Washer
- 327 Waste Link
- 329 Lock Washer
- 330 Cotter Pin
- 345 Trip Lever
- 1759 Lock Plate
- 482 Escutcheon
- 483 Esc. Holder
- 1761 Lug Screw



Part No.

- 450 Spout
- 484 Screw
- 485 Divertor Valve Body
- 486 Stuffing Box
- 487A Divertor Stem
- 488 Divertor Handle
- 489 Divertor Sleeve
- 1010A R. H. Corner Valve Body
- 1011A L. H. Corner Valve Body
- 1039 1/2" Pipe
- 4 Overflow Head Washer
- 1076 Spring Ring
- 1051 3/4" x 7/8" Nipple
- 1052 3/4" x 3/4" Nipple
- 1053 3/4" Elbow
- 1795 Seat Washer
- 1796 Seat Retainer
- 1797 Nut for Stem

PARTS AND NUMBERS OF NO. D-1260 FIXTURE



Part No.

- 119 Knob
- 159 Knob Holder
- 160 Top Fitting
- 162 Overflow Tube
- 163 Waste Barrel
- 55 Spout
- 46 Supply Nipple
- 288 Yoke
- 368 Lock Flange
- 33 Set Screw
- 3 Spout Washer
- 38 Waste Tee
- 10 Adj. Collar
- 11 Lock Nut

Part No.

- 40 Waste Tube Seat
- 45 Tailpiece
- 322 Floor Flange
- 34 Tube
- 35 Strainer Holder
- 36 Strainer
- 37 Strainer Screw
- 16 Strainer Washer
- 14 Waste Elbow
- 71 Handle Hot
- 72 Handle Cold
- 96 Spud
- 67 Valve Stem
- 275 Valve Cap

Part No.

- 244 Packing
- 245 Washer
- 249 Washer
- 276 Valve Bonnet
- 277 Valve Body
- 278 Coupling Nut
- 279 Coupling Nipple
- 282 Stem Seat
- 287 Coupling Washer
- 280 Pipe Coupling
- 354 Seat Washer
- 120 Spud Screw
- 122 Seat Screw
- 97 Floor Flange

PRINTED
IN
U.S.A.

THE HOUSE OF HUBBELL, INC.
CLEVELAND, OHIO

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

